	ga Pan ned 9d		Approval Letter Disapproval Letter	•••••
. 	COMPleted WW TA. OS PA.		Location Inspected Bond released State or Fee Land	
		LOGS FI	TED	
<u>6</u> 70	~ GR	Dual I Lat	GR-N Micr	• • •

-019-30210 PERMIT NO. APPROVAL DATE 3.1. (D. 10.5) DISTRICT ENGINEER APPROVED BY

Approval Notice - SLC State Of G *See Instructions On Reverse Side

U.S. GE JGICAL SURVEY, CONSERVATIO JIVISTON

FROM: DISTRICT GEOLOGIST, SALT LAKE CITY, UTAH

TO: DISTRICT ENGINEER, SALT LAKE CITY, UTAH

Well

Location

Robert S. West WK #2

330'FSL, 2317'FEL, sec. 1, T. 21 S., R. 23 E., SLM, Grand Co. Gr. El. 4476'

U-17309

- I. Stratigraphy and Potential The surface rocks are Mancos. Promontory Oil Co. well Oil and Gas Horizons. #10 (Gr.El. 4638 KB), in sec. 2, same township, reported the following tops: Dakota-924', Morrison-1044', Buckhorn-1154', Salt Wash-1285' Entrada-1665'.
- 2. Fresh Water Sands. WRD reports from sec. 29, T. 20 S., R. 24 E. "Usable water, fresh or slightly saline, may occur in sandstone units of the Mancos Shale, Dakota Sandstone, and the conglomerate member of the Cedar Mtn. Shale. Moderately saline water occurs in the sandstones of the Morrison Formation in this area." Important water sands noted: Well-A.Lansdale #2 (Gr.El.4430') sec. 10, between T280'-1287', A.Lansdale #1-A (Gr.El.4434') sec. 10, between 840'-871', and A.Lansdale #5 (Gr.El.4444') sec. 10, between 874'-892'.
- 3. Other Mineral Bearing Formations.
 (Coal, Oil Shale, Potash, Etc.) None. In Bull. 852 Fisher commented: "Inasmuch as the area embraced in Tps. 19, 20, and 21 S., Rs. 22 and 23 E., and the southern part of T. 18 S., R. 23 E., contains no coal resources of any value, it is discussed as a unit for the sake of brevity." The drilling area is within the valuable prospective for coal lands.
- 4. Possible Lost Circulation Zones. Unknown.
- 5. Other Horizons Which May Need Special Unknown. Mud, Casing, or Cementing Programs.
- 6. Possible Abnormal Pressure Zones Unknown. and Temperature Gradients.
- Competency of Beds at Proposed Weathered shale may cave readily. Casing Setting Points.
- 8. Additional Logs or Samples Needed. None.
- References and Remarks 'Within 2 mile radius of KGS.
 COPY RETAINED DISTRICT OFFICE

Date: December 11, 1975 うななりな ひ

Signed: Filler M. Resa

FILE NOTATIONS

Date:	ec. 19,-	
Operator:	Kohert Wes	·t
Well No:	WK #2	
Location: Sec	c. / T. 215 R. 2	3E County: Grand
	/	
File Prepared		Entered on N.I.D.
Card Indexed		Completion Sheet
Checked By:	1	
Administr	rative Assistant:	<u>~</u>
Rema	arks:	
Petroleum	n Engineer/Mined Land Co	ordinator:
	arks:	
Rome	ZIRJ.	
Director	:	
Rema	arks:	
Include Within	n Approval Letter:	
Bond Requ	uired	Survey Plat Required
Order No	102-5	Blowout Prevention Equipment
Rule C-3	(c) Topographical except within a 660' radius	ion/company owns or controls acreage of proposed site
O.K. Ru	1e C-3	O.K. In Unit
Other:		

December 19, 1975

Robert S. West 1983 E. 7/8 Road Grand Junction, Colorado

Re: Well No. WK #2
Sec. 1, T. 21 S, R. 23 E,
Grand County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with the Order issued in Cause No. 102-5.

Should you determine that it will be necessary to plug and bandon this well, you are hereby requested to immediately notify the following:

PATRICK L. DRISCOLL - Chief Petroleum Engineer HOME: 582-7247 OFFICE: 533-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling.

The API number assigned to this well is 43-019-30270.

Very truly yours,
DIVISION OF OIL, GAS, AND MINING

CLEON B. FEIGHT DIRECTOR

CBF:sw cc: U.S. Geological Survey

- TEST		M	Initial				[] Annual			☐ Sp	ocial	TES	ST DA	те: 3-9	(3-)	2
PANY							LEASE		بند حب وسوس			•	WE	LL NO.		
DA.	PERT	- <	.)	OF	57		•		NK		•	••		2		
17/2	BERT	LOC	CITA	N			SECTION			TWP		AN 2	ς 3 <i>Ε</i>	<u>.</u>	ACRES	
VIV	U, Ut		230	PFSL	80	2317 F	FL PIPE	<u> </u>	CONNECT	21-	7		3 %			
0		RES	SERVO A)	<i> '</i>	PA:	PIPEL	_INE	1/	ON	1=					
150	ON DATE						PLUG B	ACK				PACKE	RSE	ΔT		
3~	8-76						TOTAL	EPT	100	0			PERE	77. y -1 F	Pop 12	-
NG SI	ZE			WT.			ID.		SET AT	05/	4		0	77. 1F H. 105	4 - 1	360
ING SI	<u> </u>			9,5 wt.	<u> </u>		ID.		SET AT				PERF.		ro	
23/	20						1.995			235				<u> </u>		
E COM	PLETION (Describ)e)	ء بر		,	TYPE	LUII	D PRODUC	TION						erie Santasa d
	NG:	<u> </u>	· <u> </u>	11)		0.00.0	VOIR TEMP	ERA	TURE E						BAR PH	
	NG THRU	16				HESER	Est.	10							12	56.B
GRAV	UTY G				%	CARBON	DIOXIDE		SANIT	ROGE		- 	-	API GRAVITY	OF LIQU	D.
		.6	<u>3/</u>				0.23	45	D CONN	<u>/·</u>	18			(METER RU	N) (PROV	7, SIZE
TICAL	DEPTH (H	1)					TYPEN	ne i E	R CONN.						2"	
-									ED D 4 T 4		 		DUI	RATION OF S	HUT-IN	ня
									ED DATA		т	TUBL			1	
	ORIFICE	MET PRO	VER	DIEI	F.	FLOW- ING	WELL-	CAS	ING WELL					ELLHEAD SS. (P _W) (P _t) (P _c)	DUR- ATION	540D
ATE	SIZE in.	PRES	SURE	(h _W) (TEMP.	TEMP.		psig	(P _W) (F	ia t''' c'	psig		psia	HOURS	3his
NI TU			··•						3/2		4	3/		324		
1	1/9	. 21	28			5% °			308	3	20	30		3/3	 	
2	13/H.	3	01			600		<u> </u>	302		14	<u>30</u> 24			 // 	-
3	7/32		94			630	_	 	<u> 246</u> 242		14	1 1 V		306 302	+ /, -	
4	1/4	12	10			1523		-	272		14	23		スをツ	75.25	
5	114	gai i		<u></u>		17 22	RATE OF 5	. OW		TIONS	الشبوس بمجملتهميس و					
		T							FLOW		25.44	ATION	1007	E OF FLOW		Γ
RATE	COEFFICI (F _b) (F		MET PRO	VER	EXT	ENSION	GRAVI FACTO		TEM FACT		FAC	TOR	1001	Q	GOR	Gm
NO.	MCFD		PRESS		\checkmark	Pm × hw	Fg		Ft		F	pv	<u> </u>	MCFD		
1	.27/	3	3.2	b			1.25			39		027	ļ	1/3		
3	623	7	31	3			1.25	9	1.00			0)20 324	+	252 239		-
3	.860	2	30				1/25	7_	30	(7) (7)		7, 4	+-	1100		
	1			50			1/25			111		1.3		11/11		
5	1.11	2 1	<u>≪</u> .	00					ALCULATI	ONS	<u> </u>					
	1						1	T		T	PL.	OTTING	POIN	rs	% SF	IUT- IN
RATE	Pt	i	Pc			೯ _W psia	(P _c)2 THOUSANI	S T	(P _w HOUSAND!) ² - (P,			Q ACFD	100 -	ر م ر م
NO.	psia		psi.				L				IOUSAN	DS		13		<u> </u>
1	<u> </u>		33			28_	110	+	106		<u>2</u>	-	<u></u>	172 T		
2	 			2		22	110	+	704	-	11		2			
. 4		i	3~	 .2 . 1		10.1	1110	_1	15		15					
_ 			2.		e	,	1 110		.» J	<u> </u>	2.5			·		
DICAT	TED WELL	IEAD (OPEN	rt.ow			1010		CFD @ 14.7				"n"	10/-		
	7 to see the see	in and 1	., 1,11	ry on't	.,.11 11 4	11 (1)	and my, state	es tha	it he is duly	iuthori	zed to n	take the	nvodt.	report and tha	t he has kr	iowir/ii
w l is	State Freie	u, aud	r turi y		artice	seek distract	cores to		6 . 19/	_						
• ,	Executed	this the				_ day of			, 19/	<u> </u>		بمر	7/	,m + :	BB	
100						(2)/	2020	. 1		"11"7"		<u> </u>			Company	***

DRY	MODE	METER	ROBERT-WEST#2NEW-V
-----	------	-------	--------------------

	*				
CUMPONENT	m OLZ	GPM	SP GR	BTU	
. N2 .	7.18	ø.000	ø.069	0.	•
CH4	87.18	0.000	Ø . 483	882.	
C2	3,36	0.000	0.035	59.	
C 02	0.23	0.000	0.004	Ø.	•
C3	1.05	0.289	Ø.Ø16	27.	; ;
IC4	0.25	0.082	Ø.005	8.	, ,
NC 4	Ø.31	0.099	0.006	10.	
105	0.10	0.037	0.003	4.	
NC 5	0.10	0.035	0.002	4.	
C6+	0.24	0.104	9.008	12.	•
					•
	100.00	Ø.646	0.631	1009.	
ere di la companya d					

BASE MOLZ 99.97

Northwest Pipeline Corporation



P. O. BOX 1526 SALT LAKE CITY, UTAH 84110 801 - 328-8252

March 30, 1976

Robert S. West 11118 South Mary Drive Sandy, Utah 84070

Dear Bob:

Enclosed are copies of the Field Data sheet, Multipoint Back Pressure Test sheet and gas analysis report for your WK #2 well.

Sincerely,

NORTHWEST PIPELINE CORPORATION

D. Ø. Gililland

Gas Procurement Coordinator

DDG/sc Enclosures

ype Test	pz)	Ini:iai		Annual		Specir		951 Date	23-76	Lease No. or Serial No.
Ont July					Connec					Allottee
Robert	5 N	est	Hencivoir				าเเก			Unit
Cisco			Brush	1 Busin	q Brick TD	330	FSL 8	231	PEL	Farm or Laits- Name
Completion D	iat e		Depth	Plu	g Brick TD		lovetten	P 0a	4 1058	WK
Say. Size		WL.	1060	Set A	 _	Performitor	a: From	48	Fc (0 (0	Well (Io.
4 1		9.5. WI.	4	Sat A	54	Perforation	# // a: F:om	75 74	7000	Sec. Typ-Bik =
The 3120 3/4		WI.	Q .	30, 7	035					7 21-5 23 County or Parish
Type Comple	tion (Des	ictioe)				1000		P	ecker Set At	Grand
Producing Th	iru	1 Hoviere	Cemp. F	Megn	Annual Tem	p. F	Baro. Pre	934 Pa	12	State
Gasing		FS	t. 100°		<u>* co.</u>		% N ₂		% H ₂ S	Prover Meter Hun
L, 1		н	G _q	631	% CO ₂	23	<u>, 7</u> .	18	-0-	zinch
DATE	ELAP.	Wellhead	Working Pr		ME	TER OR	PROVER	3		REMARKS
Time of	TIME	The Sale	Cag. Palg.	Tamp. F	P:nanura	Diff.	Temp. F	Calico	(1	nelude tiquid production serety Type—A.P. I. Gravity—Amount
Resding	Hra.	req. mesq.			Paig.			<u> </u>		SIP - Boun Pare
7:00 AM		3/2	312		0000		C10	1/8		2017 # 1
4:00		308	304		308		75	/ 8	1= 011	5 4 / 5 , FT /
		212	3/2		 				1 hr. 51	P. Begin Pote#2
9:00		31.7	302		301		60°	3/16	End Ra	
10:00										
11:00		- 312	7/2							P- Begin P-te #3
12:00		294	296		296		630	7/32	Endr	ife at 3
<u> </u>				: 			 			4.0
1:00		311	311	 	<u> </u>		6.30		1 hr. 5/1	P - Begin Rote # 4 te # 11 Gegin Est. Flou
2.00		270	292		290		1-6.2	170	Ena ra	1
	ļ		1 2 2 2 2		268		120	1/4	End Ex	t. Flow- Cegin Build
8:154	 	0.67	1272	'	1					
8:30 A	.25	253	1 237	1						
81,45	.50	289	289				ļ	ļ		
9:00	.75	290	290			<u> </u>	-		<u> </u>	
9:15	1.00	2:13	2.10			ļ	 	ļ		
7:45	1.50	290	290		- 	 	 	 		
10.15	<u> 200</u>	200	1272	 			 	 	7	
	1	302	202	 	+	<u> </u>	 	i		
8:35	340	293	293		<u> </u>	1			1	
	 				1					
	·	1						<u> </u>	ļ	
			!			<u> </u>		<u> </u>	<u> </u>	apparature region de de la constante de la con
				<u> </u>	 	-		 	 	
		1		· · -		1	i		1	والمستعدد والمستور وا
]	ļ		 		 	-	 	 	
grand a register terminal of the	.	ļ	_	 	_	<u> </u>	 -		+	
	· i · · · ·	· · · · · · · · · · · · · · · · · · ·		i		•		i	1	
	- 	1	 							and the second s
	- 	 	1	1	L		1	<u> </u>	ļ	
			1							

APR 5 1977

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

DIVISIOLESSEE'S MONTHLY REPORT OF OPERATIONS

wells) f	or th	e mon	ith oj		مناز تشت		., 19. //			lrilling and produ
argone a		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	inin Im	# 5°	4070	2000	Coi	mpany	0-38 K	Tà West
Phone.	;	571	/	805			Sig			
SEC. AND 14 OF 14	Twp.	RANGE	WELL No.	Days Probuced	Barrels of Oil	GRAVITY	Cu. Fr. of Gas (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth: if shut down, date and result of test for gaso content of gas)
80 T w/W	<u>ک</u> ربر.	238	WK #	0	NA	NA	0	NONE	Nove	None
w'/4	-) = () = () = ()	wet	2	13 SHU	it in		
c/		•	,							
w/4 v/4	2/د	236	WK # 1-14	11	NA	NA	4/2	ls.ce	Nove	None
		-	′ ′ ′ ′ ′	WH	H 1-14	, -	PUF ON	Line	= 7	B 14-19.
						4				
	OIR						OIL			WATER
6.75	14	OF					Non	_		Nove
2022	2 -	4	7	NEO	1/nue					
180	£ 22	22	Va	WE_	7000	-			-	
	250	- ا ا	No	NE						Awaren

runs or sales of gasoline during the month. (Write "no" where applicable.) Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor. Form 9-329 (January 1950)

GPO 837-082

Form 9-331 (May 1963)	U_IED STATES SUBMIT IN TRI CATE OF THE INTERIOR verse side)	Form approved, Budget Bureau No. 42-R1424 5, LEASE DESIGNATION AND SERIAL NO.
	GEOLOGICAL SURVEY	11-17309
	NDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
(Do not use the	his form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	思考を表 0 623章 である2 243章
1. OIL GAS	OTHER TAX	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR		8. FARM OR LEASE NAME
KOBERT	- J. West	Conster 2. WEST
3. ADDRESS OF OPERA	WSER DRIVE - KAYSUILE: UTAN 84037	9. WELL NO.
4. LOCATION OF WELL See also space 17 At surface	(Report location clearly and in accordance with any State requirements.) below.) Library 330 FEET Thomas ME South	10. FIELD AND POOL, OR WILDCAT
Boundary	The state of the s	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Boundary	15-1	Sea 1 7215 233
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT (GR, etc.)	12. COUNTY OR PARISH 13. STATE
43-019-	30270 4476	Chana Chan
16.	Check Appropriate Box To Indicate Nature of Notice, Report, or C	Other Data
	NOTICE OF INTENTION TO:	UENT REPORT OF
TEST WATER SHU	T-OFF PULL OR ALTER CASING WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMPLETE FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZI		ABANDONMENT.
REPAIR WELD	CHANGE PLANS (Other) (NOTE: Report results (Completion or Recomp	of multiple completion on Well
(Other)	EPG D Charles	letion Report and Log form.)
17. DESCRIBE PROPOSE proposed work. nent to this wor	D OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates If well is directionally drilled, give subsurface locations and measured and true vertices.) The to ke cutter we the true of the following the pertinent dates in the pertinent dates in the pertinent dates in the pertinent dates. The true to ke cutter we the true of the pertinent details, and give pertinent dates in the pertinent dates. The true true true true true true true tru	al depths for all markers and zones per
WE	1 plane to 12	10-08
LUASH =	TURMATION. PRESENTLY WRILLES TO	
4	5 PRODUCTION OR SALT WASH.	
Drive 10	5 1/201/02/1000 0 0 0 110	
	BLOW OUT EQUIPMENT to Be US	
	Thouse of the profit we	n Cosine Unit
OVED BY THE I	DIVISION OF LEGAN BOP BOW PSI (He) ING	新教教育 数 589 4
TAC AND MINI	ING	1 NOP
DAD ALL	1000) JACONS MOTATING HEND	
CACT-10	ING 1918 2. JACONS ROTATING HEND	DIVE ON WELL &
Kly Ans	00 3, touc state 11 contact	
and the second of the second o	EXHMUST LINE	
/	; ·	133 M

Confirmation of PHONE Confirmation SEPT 24

18. I hereby certify that the foregoing is true and correct Operator TITLE . (This space for Federal or State office use) TITLE 1 7 2

Oct. 2, 1978

ROBERT S. WEST 749 SUNSET DEIVE KAGSUICE MAN 84037 801-76-1400 Home 801-350 2126 office

6 EDCOGRENE SURVEY
84 fo FEBREAR BUILDING
SALT LAKE Dirg, UTAN 84/38

RE: WELL NO 12-57 SW SW SEC 12, T205, R23E, GERND COUNTY, UTHA LEASE - U-7629-C

> WELLS NO WK 1-14 4 WK-2 SEA 1, T. 215, P.23E' GRAND COUNTY, John LEASE U-17309

SOLIDITION S 1978

SOLIDITION S

WELL NO 12-57

WELL WAS PLUGGED DICECTLY AFTER DELLINE &
WHEN NOTED THAT DRY NOLE MARKER WAS NOT
instructed Forcow up Action was Traken aTORY HOLE MARKER WAS INSTALLED, HARAWAS
OLEANER.

In Oct 1977, I had 3 place conventions with BLA MORS, WITH ROCKY CURNUT & WAS INSTRUCTED HOW TO REMADILITATE & RESER, RISO WAS GIVEN PROMISSION TO EXTENDED SEED, NOTICE NOW, 18, 1977

BECAUSE OF THE ENTREME difficulty IN PURIAMENT SIX TYPES OF SEED. CROWNE WAS LEVELED FILLING PITS & RESTOUND to MATURAL CEVEL & AREA WAS RESERVED. ALL WORK WAS ASTRESSED IN 1977 OF BLAS Advised By Phone. Written CONVERTANTION WAS NOT SENT O FRY THIS NOTE BE SO AS ONE COPY WILL BE SET TO BEAT ASSAURCE.

WELL WK#2

STATUS REPORT IS TEX OUR THONE CONVERSATION of SEPT 29, 1978 WE ARE HOUNG PARCORS

DRICCING RIC #2 ONER OF EDELLE TO

PRODUCTION OR SELT WASH WE FALL THIS

WELL WAS NOT CRIMER TO PRODUCTIVE SKIND

Of MUD OUT Off Source of GAS 4 MONTHS

After Production. Survey bother has BEEN

SENT TO THIS REJECT. IF NOT PRODUCTIVE WILL PHA.

Were West 1-19

THIS IS AN ON WELL WITH GAS & WE HAVE CONNECTED TO GAS LINEY INSTACLED AN ONE THANK OF SEPERATIFIC BUT LOST PRODUCTION IN 4 MONTHS. WE PLANTO PUT IN TUSING A REGAM PRODUCTION SHORTLY AFTER WORKING

WK#2.

If you HAVE they QUESTIONS PER THESE MATTERS!
PLENSE HOUSE.

Sincenery Churs
That I wat.

Cong to Ber Mas. Store on 4 600

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY (FORM 9-329)

(2/76) OMB 42-RO 356

MONTHLY REPORT
OF
OPERATIONS

Lease No	1:-0	17309
Communitization A	greement No	NA
Field Name		756
Unit Name	Uet	
Participating Area.	NA	
	MANO	State
	sent S	WEST

□ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of ______, 19

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C, 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Well No.	Sec. & ¼ of ¼	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
1-14	Seal Swiff NG 14	45	يع والر	651		SNU	T ,NJ		
1. 2	SEA 1 SWH SEIH	215	挑	651		SM	U5 1N		
, # 'y	SEA! SWH SE!H SE!H SWH SWH	215	JJE	051		Sa	W 7W		

*If none, so state.

DISPOSITION OF PRODUCTION (Lease, Participating Area, or Communitized Area basis)

	Oil & Condensets	C	\M4
	Oil & Condensate	Gas	Water
	(BBLS)	(MCF)	(BBLS)
*On hand, Start of Month		XXXXXXXXXXXXXXXX	xxxxxxxxxxxxxxx
*Produced		$\overline{}$	
*Sold			XXXXXXXXXXXXXXXX
*Spilled or Lost	#*************************************	<u>xxxxxxxxxxxxxxxxx</u>	XXXXXXXXXXXXXXXX
*Flared or Vented	XXXXXXXXXXXXXXXX		<u>xxxxxxxxxxxxxxx</u>
*Used on Lease	4		XXXXXXXXXXXXXX
*injected			•
*Surface Pits	<u> XXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXX	•
*Other (identify)	<u> </u>	-	
*On hand, End of Month		XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXX
*API Gravity/BTU Content	11.1		XXXXXXXXXXXXXXX
Authorized Signature:	Address:	149 Juser Vene	Transvice Horas
Title: Augusto.		Page / of /)

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

(Form 9-614-A) (2:76)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), Reg ion (30 CPR 221.63, 30 CPR 221.65), and terms of the lease. ure to report can result in the assessment of liquidated demages (30 CPR 221.54 (j)), shutting down operations or basis for recommendation to cancel the lease and forfeit the bond (30 CRR 221.53).

GCS Loaves This report is required by (Public Law 212, Outer Continental Shelf Lands Act, 67 Stat. 462, 43 U.S.C. 1334, 1335) Regulation (30 CFR 250.96) and terms of the lease. Failure to report may result in suspension of operations (30 CFR 250.12):

Signature and Title

Date of Check ____ Amt of Check \$_

OMB 42-R0365 AMENDED REPORT RENTAL AND ROYALTY REMITTANCE ADVICE (See reverse of form for instructions C.D. COLLEC. LEASE OR TION OTHER COLLECTION ASURY T CODE COLLECTION N COMPANY OR ADJUST-OR OR E OR D CONTRACT MENT ADJUST-DEPOSIT ADJUSTMENT NUMBER DATE **FORM** MENT DATE **INFORMATION AMOUNT** 0 NUMBER MO YR MO DAY YR 0 23 24 28 33 34 35 19 20 21 59 70 9, 1 2 9 3 9 5 9 6 9, 7 9 8 9 10 11 9 12 9 13 15 16 17 18 19 **NUMBER OF** SHEET TOTAL LINES USED 80

July 8, 1981

Robert S. West 749 Sunset Drive Kaysville, Uash 84037

> Re: Well No. WK #2 Sec. 1, T. 218, R. 23E Grand County, Utah (November-July)

Gentlemen:

Our records indicate that you have not filed the monthly drilling reports for the months indicated above on the subject wells

Rule C-22, General Rules and Regulations and Rules of Practice and Proceduse, requires that siad reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGC-1B, (U. S. Geological Survey Form 9-331) "Sundry Notices and Reports on Wells," or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

/1m

REPLY MEMO JCP-1074 (REV. 9/70) LOCATION Bos West LOCATION TO SENDER · Send White and Pink copies intact REPLIER - Return Pink copy to Sender Keep White for your files MESSAGE: DATE 7-12-8) REPLY:

UNI	ΓED	STATI	ES
DEPARTMEN	TO	FTHE	INTERIOR
GEOLO	GIC/	AL SU	RVEY
(F	ORM	9-32 9)	
	(2/	76)	
OMB		42-80 3	26

ζ,

OF

Communitization Agreement No Field Name. Unit Name Participating Area County _ State Operator_

MONTHLY REPORT OPERATIONS

☐ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the mont!

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C, 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report care result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and for feit the bond (30 CFR 221.53).

144	~ /] !					
1-14	Sect Swlff Nell	215	بحولم	651	SHUT	עק	,	
-	Sea! Swlf! Se!/4	2/5	236	651	SHU	<i>- /N</i>		
#	Seel Swiff Swiff	٤٧٤	238	05/	SNU	- , ω		

*If none, so state.

DISPOSITION OF PRODUCTION (Lease, Participating Area, or Communitized Area basis)

	Oil & Condensate (BBLS)	Gas (MCF)	Water (BBLS)
*On hand, Start of Month		XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXX
*Produced			
*Sold			XXXXXXXXXXXXXXX
*Spilled or Lost		XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXX
*Flared or Vented	XXXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXX
*Used on Lease			XXXXXXXXXXXXXXX
*Injected			
*Surface Pits	XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXX	
*Other (Identify)		-	-
*On hand, End of Month		XXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXX
*API Gravity/BTU Content			XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Authorized Signature; 1/4-72	Wint Address:	749 SUNSET LA	eve pusual
Title: Operator		Page of	

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

(Form 9-614-A) (2:76)

OMB

42-R0365

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), Regus reion (30 CFR 221.63, 30 CFR 221.65), and terms of the lease. ire to report can result in the assessment of liquidated dames (30 CFR 221.54 (j)), shutting down operations or basis for recommendation to cancel the lease and forfeit the bond (30 CRR 221.53).

This report is required by (Public Lew 212, Outer OCS Leases Continental Shelf Lands Act, 67 Stat. 462, 43 U.S.C. 1334, 1335) Regulation (30 CFR 250.96) and terms of the lease. Failure to report may result in suspension of operations (30 CPR 250.12),

Signature and Title

AMENDED REPORT RENTAL AND ROYALTY REMITTANCE ADVICE (See reverse of form for instructions C.D. COLLEC-LEASE OR TION OTHER COLLECTION COLLECTION OR ADJUST-OR OR OR E CONTRACT MENT ADJUST-DEPOSIT ADJUSTMENT NUMBER DATE FORM N MENT DATE INFORMATION **AMOUNT** NUMBER MO YR MO. DAY YR 14 15 18 19 20 21 28 33 34 35 9 2 9 3 9 5 6 9/7 7 9 8 9 10 11 DIVISION OF 12 OIL, GAS & MINING 13 14 15 9 16 9 17 9/7 18 9 19 NUMBER OF SHEET TOTAL LINES USED 80

Company Name Marar Swest Check No. ____ Date of Check ___ Amt of Check \$____

UNITED STATES DEPARTMENT OF THE INTER GEOLOGICAL SURVEY (FORM 9-329) (2/76) OMB 42-RO 356	Lease No Communitizate Field Name Unit Name Participating	tion Agree t No NA NA Area NA	7/017309 NA
MONTHLY REPORT	County	Cosent	State MAN
OPERATIONS	□ Amended i	Report	
The following is a correct report of operations a of, 19	and production (including status of all	unplugged wells) for the

month

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C, 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Well No.	Sec. & ¼ of ¼	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
WK# 1-14	Se / Sw/4	dis	me	651		Sout	- لدر		
WK# 1-14 WK# 2	NE 1/4 SER! SW1/4	2/5	<i>)</i> 3E	651		Swe	, , , ,		• /
WK#/	Self Seel Swlf	3/5	الخل	05/		SHU	- 1	CE	
	Swl4						0	DIVISION F IL, GAS & MINING	à

*If none, so state.

DISPOSITION OF PRODUCTION (Lease, Participating Area, or Communitized Area basis)

	Oil & Condensate (BBLS)	Gas (MCF)	Water (BBLS)
*On hand, Start of Month *Produced *Sold		<u>xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx</u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
*Sold *Spilled or Lost *Flared or Vented *Used on Lease JUL 4 1001	<u> </u>	<u> </u>	**************************************
*Injected *Surface Pits *Other (Identify) OH GAS & MINING	XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXX	
*On hand, End of Month *API Gravity/BTU Content	Address	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	**************************************
	Address: 2		XXXXXXXXXXX

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

(Form 9-614-A) (2:76)

OMB

42-R0365

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), Regutation (30 CFR 221.63, 30 CFR 221.65), and terms of the lease. The to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations or basis for recommendation to cancel the lease and forfeit the bond (30 CRR 221.53).

OCS Lesses This report is required by (Public Law 212, Outer Continental Shelf Lands Act, 67 Stat. 462, 43 U.S.C. 1334, 1335) Regulation (30 CFR 250.96) and terms of the lesse. Failure to report may result in suspension of operations (30 CFR 250.12):

AMENDED REPORT RENTAL AND ROYALTY REMITTANCE ADVICE (See reverse of form for instructions C.D. COLLEC-LEASE OR TION OTHER COLLECTION COLLECTION OR ADJUST-OR OR OR E CONTRACT D MENT ADJUST-**DEPOSIT ADJUSTMENT** NUMBER DATE FORM MENT DATE INFORMATION **AMOUNT** NUMBER MO YR 0 10 11 13 14 23 24 28 33 34 35 59 70 9 9 2 3 9/7 5 9 6 9 7 9 9 9 10 9 11 9 12 9 13 9 9 15 16 17 9 18 NUMBER OF SHEET TOTAL LINES USED 80

Date of Check Amt of Check \$

UNITED STATES Lease No. DEPARTMENT OF THE INTERIOR Communitization Agreement No. **GEOLOGICAL SURVEY** Field Name _ (FORM 9-329) (2/76)Unit Neme OMB 42-RO 356 Participating Area State **MONTHLY REPORT** WEST Operator. OF **OPERATIONS** □ Amended Report The following is a correct report of operations and production (including status of all unplugged wells) for the mont! (See Reverse of Form for Instructions) feit the bond (30 CFR 221.53).

This report is required by law (30 U.S.C, 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and for

_	Well No.	Sec. & % of %	TWP	RNG	Weil Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
WK 1/-1	4	Sea 1 Swift No. 14	215	238	651		8	YUT 11	<u> </u>	
WKA	£	Séc/	3.6	236	68	·	7	HUT IN	 -	
WK#	Łj.	Swilf Sect Swilf Swilf	215	136	651		S	yut m		SILAEO
		SWA							OIL,	VISION OF GAS & MINING

*If none, so state.

DISPOSITION OF PRODUCTION (Lease, Participating Area, or Communitized Area basis)

	Oil & Condensate (BBLS)	Gas (MCF)	Water (BBLS)
*On hand, Start of Month		XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXX
*Produced			
*Sold			XXXXXXXXXXXXXXXXX
*Spilled or Lost		XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXX
*Flared or Vented	XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXX
*Used on Lease			XXXXXXXXXXXXXXX
*Injected			
*Surface Pits	XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXX	
*Other (Identify)			
*On hand, End of Month		XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXX
*API Gravity/BTU Content	, 4		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Authorized Signature:	Went Address:	14 SUSET SING.	
Title: Dusates		Page of	/

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

(Form 9-614-A) (2:76)

OMB

42-R0365

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), Reguire ion (30 CFR 221.63, 30 CFR 221.65), and terms of the lease. I are to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations or basis for recommendation to cancel the lease and forfeit the bond (30 CRR 221.53).

OCS Leases This report is required by (Public Law 212, Outer Continental Shelf Lands Act, 67 Stat. 462, 43 U.S.C. 1334, 1335) Regulation (30 CFR 250.96) and terms of the lease. Failure to report may result in suspension of operations (30 CFR 250.12).

REN	ITAL AND ROYALT	'Y	REM	ITTAN	CE AD	VICE		L			PORT	(See r	everse c	f form fo	r instruc	tio
L-NE ZO		OCS COLL. ACCUM CODE	DAT	1	COMPANY	C.D. OR ADJUST- MENT FORM NUMBER	TREASURY ACCT CODE	ME	OLLI TIOI OF NDJU NT E	N R JST- DATE	OTHER CO O DEPO INFORM	LLECTION R DSIT	COL	LECTION OR USTMEN MOUNT	N	
1	3 4 5 10 11 13 71,017309	14		18 19 8/ 0/	20 21 2	3 24 28	33 34	35	1		41	59	70	1 1	79	9
2	11/01/201		ادن	0/ 5/	1	<u> </u>			+-	 					_	9
					+	 		-	+	-						6
3			-			<u> </u>		ļ	+	 						Ž
4					_			<u> </u>	 	 						9
5			, 							L				1 1		9
6	1 1		1		İ				1 1	I						9
7									1	†			·J			9
8			+						1							9
9					 		ļ	-	+	 						9
10	1	_	+	-		<u> </u>			-	-						9
	- - - 	\dashv	-					-	+-	 						Z
11					-	ļ		_	1-	<u> </u>						9
12			- 4											' 		9
13									1 1	i 1			1	1		9
14	1		1													9
15						†			 							9
16			1			 		<u> </u>	+						_	9
17			-+		1	 		-	+	 					+	9
18	+		-	_	†				+-							9
19			+		-			-	1-1							9
13	NUMBER OF	-							لــــــــــــــــــــــــــــــــــــــ	L						Z
	LINES USED										SHEET	TOTAL		1 1		81
	801-766- T Company Name	ele	900	e Chlas			•				Signat	Mark ure and Title		un	5	-
	Company Name	H	est.	1000	Che	CK No	<u>U</u>		_ D	ate c	of Check	_ Amt of Check	s C	<u></u>		

July 16, 1981

Robert S. West 749 Sunset Drive 84037 Kaysville, Utah

Re: See Attached Sheet

Gentlemen:

This letter is to advise you that the Well Completion or Recompletion Report and Log for the above mentioned wells are due and has not been filed with this office as required by our rules and regulations.

Please complete the englosed Form OGC-3, in duplicate, and forward them to this office as soon as possible.

Thank you for your cooperation relative to the above.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

/1=

Attachment

Enclosures

- 1. Well No. WK #1-14 Sec. 1, T. 215, R. 23E Grand County, Utah
- 2. Well No. WK #2 Sec. 1, T. 215, R. 23E Grand County, UTAH
- 3. Well No. WK #1
 Sec. 1, T. 21S, R. 23E
 Grand County, Utah

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY** (FORM 9-329)

(2/76)42-RO 356 OMB

MONTHLY REPORT OF **OPERATIONS**

Lease No
Communitization Agreement No.
Field Name
Unit Name
Participating Area
County Consum State State State State
Operator 1200 21 22 22

□ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C, 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and for-

# See! 215 238 651 #Y See! 215 238 651 Swill 215 238 651	500	- pal		
Swill 25 238 65	, 54	ust red		
1 1 1	l l			
SE 14 Se 1/4 Su 1/4 2/5 238 (35)	1 54	لهر سريه	·	

*If none, so state.

SPOSITION OF PRODUCTION (Lease, Participating Area, or Communitized Area basis)

	Oil & Condensate (BBLS)	Gas (MCF)	Water (BBLS)
On hand, Start of Month		XXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXX
Produced Sold			XXXXXXXXXXXXXXXXX
Spilled or Lost		xxxxxxxxxxxxxxx	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Flared or Vented Used on Lease	XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXX
Injected Surface Pits	<u>xxxxxxxxxxxxxx</u>	XXXXXXXXXXXXXXXX	
Other (Identify) On hand, End of Month			**************************************
API Gravity/BTU Content	Address:	of H Hanco	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Authorized Signature:		Page of	
·		ROOSEVE	7 1/074 NT

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY (FORM 9-329) (2/76) OMB 42-RO 356

MONTHLY REPORT
OF
OPERATIONS

Lease No	71-17309
Communitization Agreen it No	Of KA
	VATER
Unit Name	
Participating Area	- At-
County 4/1/ Marin	State STAN
Operator C13€12T	S. WEST
m Aurandad Danas	

□ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of $\frac{19 \times 2}{1}$, $\frac{19 \times 2}{1}$

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C, 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Well No.	Sec. & ¼ of ¼	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
WE# 1-14	See / Swif4 Ne 1/4	215	238	6-51	٠	5407			
LIKH T	500 / 5014/ 5014/) 15	235	651		SHUT			
W±#	SEC / SWH SWH	215	238	051		SAUT	الدر		

*If none, so state.

DISPOSITION OF PRODUCTION (Lease, Participating Area, or Communitized Area basis)

	Oil & Condensate (BBLS)	Gas (MCF)	Water (BBLS)
On hand, Start of Month		XXXXXXXXXXXXXXXX	xxxxxxxxxxxxxxxxxx
Produced			
Sold			XXXXX XXXX XXXXXX
Spilled or Lost		XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXX
Flared or Vented	XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX
Used on Lease	····		XXXXXXXXXXXXXXX
Injected			
Surface Pits	XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXX	
Other (Identify)			************
On hand, End of Month	**************************************	xxxxxxxxxxxxxx	XXXXXXXXXXXXXXXX
API Gravity/BTU Content	f		xxxxxxxxxxxxx
Authorized Signature:	Address: _	01 /+ HANCO	CHE CONE
Title: Puntes		Page of	/ .
,		COOSELECT	- MANY

· UNITED STATES DEPARTMENT OF THE INTERIOR -**GEOLOGICAL SURVEY**

Rev.Feb 76 Form 9-361 OMB 42-R 0361

This report is r red by law (30 U.S.C. 189, 80 U.S.C. 359, 2 S.C. 396 d), regulation (30 CFR 221.62), and the terms of the lease. Pailure to report eam result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down eperations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

MONTHLY REPORT OF

AMENDED REPORT See Reverse of Form For Instructions

SALES AND ROYALTY																							
	CT R	1		1	PRODUCT	ROYALTY RATE CODE	BOUNCE	COMPANY	ROYALTY IN KIND	MUNBER OF WELLS	WELL COOK	GRAVITY, METM TAX, ETC., CODE		Ġυ	ANTITY		100	Z		OR UNIT		+	CARD ZO
		13 14			t .	21	22 24	20 27	20 20	30 38	34		36	·		48	7	a 47	1	1 1	86	1	8
91,0173	274		1/_	182	-61	\sqcup	 	<u> </u>	-		-					1	+	+-			=	#	8
		\perp		· -										L				1.	11	 -			Y
1	-1 !] 										1	1				1	<u> </u>			8 Y
	1			1										l	1					11			8 Y
	+			 										ı	1				1	1 1			8 Y
		+	†	+															1	• •			8 Y
	+	+		+							T						1		<u> </u>	'		+	8 Y
	+	+	\vdash	+-	 	++			 					1	<u> </u>	-	\top		1	1	\neg		8 Y
	+-	+	+	+	-	H			-		-	-		<u> </u>	1		+	+	ــــــــــــــــــــــــــــــــــــــ	 		+	8
		+	+	+-	-	H	<u> </u>		-		-			1	L	H	\dashv	+-	ــــــــــــــــــــــــــــــــــــــ	 		-	8
-	+	+	+	+	-	H			-		-			L	<u> </u>	\vdash	\dashv	-		1		+-	8
	+	+	—	+	-	\sqcup	ļ	 	-	ļ	╂	_		1	1	\vdash	+	+	1	4	_		8
				+-				<u> </u>		ļ	<u> </u>			L	<u> </u>	-			ــــــــــــــــــــــــــــــــــــــ	1	_		Y
	<u> </u>							<u> </u>						1	1					· 			8 Y
1	1			l L										1	1				L	ı 			8 Y
	 			1											<u> </u>	1			1	· · · · · ·			8 Y
	1			 										1 1	1					1			8 Y
				+							T				1								8 Y
-	+			+					 							 	1			· ·			8 Y
-	+-		+	+-										1		+		\top	J	' 			8 Y
	OR CONTRAC NUMBER	OR CONTRACT NUMBER	OR THE CONTRACT NUMBER BUT TO THE CONTRACT BUT	OR CONTRACT NUMBER MO 4(9 10 11 13 14 19	OR CONTRACT NUMBER MO. YR. 4 9 10 11 13 14 19 10	OR CONTRACT NUMBER MO YR. 4(9 10(11 13 14 19 19 19 20	OR	OR	OR	OR CONTRACT NUMBER DATE MO YR 19 10 11 13 14 19 10 10 20 21 22 24 28 27 20 20	OR CONTRACT NUMBER BU DATE BU	CONTRACT NUMBER DATE DO DATE CONTRACT NUMBER DATE DO DATE	CONTRACT NUMBER DATE DO DATE	CONTRACT NUMBER DATE DO DATE	CONTRACT NUMBER DATE D	CONTRACT 10 10 10 10 10 10 10 1	CONTRACT NUMBER DATE DO DATE	CONTRACT NUMBER DATE D	OR CONTRACT NUMBER BD DATE ED 20 21 22 24 25 27 26 29 50 39 54 58 36 1 48 47 1	CONTRACT NUMBER DATE DO DATE	OR CONTRACT NUMBER BU DATE BU DO 20 21 22 24 28 27 28 28 30 38 36 1 48 48 47 36	OR CONTRACT NUMBER BU DATE BU	

ACKNOWN FORMENT

ACKNOWLEDGMENT
I have read and experienced the statements made horses, and find them true accurate and complete. Signature of afficer authorized to sign for lesses)
and complete /
- There of the
Engrature of afficer putherized to says for insece)
Relephone 501- 722-4769

ROOSEVELT CLASS 84066



Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

February 9, 1982

Robert S. West 749 Sunset Drive Kaysville, Utah 84037

Re: Well No. Wk #2
Sec. 1, T. 21S, R. 23E
Grand County, Utah
SECOND NOTICE

Gentlemen:

This letter is to advise you that the Well Completion or Recompletion Report and Log for the above mentioned well is due and has not been filed with this office as required by our rules and regulations.

** If we do not hear from your office within fourteen days, this file will be turned over to the attorney at the Division of Oil, Gas and Mining for legal action.

Please complete the enclosed Form OGC-3, in duplicate, and forward them to this office as soon as possible.

Thank you for your cooperation relative to the above.

Very truly yours,

DIVISION OF OIL, GAS AND MINING

Cari Furse Clerk Typist

enutin) GSI WO P Flooring CHOKE SIZE HOURS TESTED PROD'N, FOR TEST PERIOD OIL-BBL. WATER-BBL. GAS-OIL RATIO 3/23/76 None -BBL. OIL GRAVITY-API (CORR.) CALCULATED 24-HOUR RATE GAS-MCF. 212 TEST WITNESSED BY 34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) NWPL Tost. Vantes 35. LIST OF ATTACHMENTS Dara Test

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED MIST TITLE DILLETON DATE 1/25-76

INSTRUCTIONS

If not filed prior to the time this summary record is submitted, copies of all currently available logs. (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Hem 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal Any necessary special instructions concerning the use of this form and the number of copies to be and/or State office. See instructions on items, 22 and 24, and 33, below regarding separate reports for separate completions. or both, pursuant to applicable Federal and/or State laws and regulations.

or Federal office for specific instructions.

Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Hems 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s). (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified,

10 149

TRUE VERT. DEPTH TOP DEPTH GEOLOGIC MARKERS MEAS. NAME 38 CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING AND SHUT-IN PRESSURES, AND RECOVERIES DESCRIPTION, CONTENTS, ETC. いろしくま SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPLN, FLOWING BOTTOM 900 700 OF POROUS ZONES 0 TOP すべのどろい FORMATION 37. SUMMARY

U.S. GOVERNMENT PRINTING OFFICE: 1963-- O-683636

GP 0 870-401

UNITED STATES DEPARTMENT OF THE INTERIL **GEOLOGICAL SURVEY** (FORM 9-329) (2/76)OMB 42-RO 356

> **MONTHLY REPORT** OF **OPERATIONS**

Lease No.	<u>/ -/7309 </u>
Communitization Agreemant	No. 1.4
Field Name In A.	21780
Unit Name	
Participating Area	71
County (Common)	State C/TN#
Operator Rossiss	5, 6085
☐ Amended Report	

The following is a correct report of operations and production (including status of all unplugged wells) for the month of $\frac{1}{1}$, 19

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and for-

E#1 SEC/ 1-14 SW1/4 215 238 651 SEC/ SW1/4 215 238 651 SHUT M #1 SEC! SW1/4 215 238 651 SHUT M SW1/4 215 238 651	Remarks	*Barrels of Water	*MCF of Gas	*Barrels of Oil	Days Prod.	Well Status	RNG	TWP	Sec. & ¼ of ¼	Well No.
			14	SHUT		-651	238	2/5	SEC! Swild No 1/4	1-14
Sw/4 215 238 051 SAUT 1			יגק -	Saut		<u>(</u> 487	23E	215	SEC. / SE 1/4 SE 1/4	#2
521/4			لدر	SHUT		.051	23E	215	SEC 1 Sw1/4 Sw1/4	#

*If none, so state.

DISPOSITION OF PRODUCTION (Lease, Partici	pating Area, or Com	munitized Area basis)	
	Oil & Condensate (BBLS)	Gas (MCF)	Water (BBLS)
*On hand, Start of Month		xxxxxxxxxxxxxxx	xxxxxxxxxxxxxxx
*Produced	\sim		
*Sold			XXXXXXXXXXXXXXXXX
*Spilled or Lost		XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXX
*Flared or Vented	XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXX
*Used on Lease	······································		XXXXXXXXXXXXXXX
*Injected			·
*Surface Pits	<u>xxxxxxxxxxxxxxxx</u>	XXXXXXXXXXXXXXXX	
*Other (Identify)	-		
*On hand, End of Month		XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXX
*API Gravity/BTU Content	<u> </u>		XXXXXXXXXXXXXXXX
Authorized Signature: What fill hal	Address: 🗸	OIH MARCOCK	- Cour
Title:		Page of	Closs

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Form 9-361 Rev.Feb 76
OMB 42-R 0361

This report is r red by law (30 U.S.C. 109, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.62), and the terms of the lease. Failure to report man result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

MONTHLY REPORT
OF
SALES AND ROYALTY

AMENDED REPORT See Reverse of Form For Instructions

		SALE	S AN	<i>I</i> DR	AYO	TIA					L		ONT	 	<u>—</u>	<u></u>						-	Mar-1414-0-14-0-17					
L-NE NO		LEASE OR CONTRACT NUMBER		SPECIAL		ATE	1	1 1	1	COMPANY	NOVALTY IN KIND		Į,	MELL	GRAVITY, NETR		đni	ANTIT		±	COSE 9 FOR URIT PRICE	1	,	ALUE OR UNIT PRICE		<u>+</u>		UARD RO
• 1	3 4	-		14	MO.	5/2		21	22 24	29 27	20 20	30	33	34	30	10				尸	A	43	F===	,				8 Y
2	74	0173.x		+	100	100						 	+		\sqcap				+			M		L		一	\dashv	8
-	H	 		+	+	+-		+	-	+	-	 	+	\vdash	\vdash			<u> </u>	1-	H	H	\vdash	<u></u>		\vdash	1	-+	8
3		 	 	\perp	 	+-	-	 '		-		 	_	\vdash	H			Ц	+		 	-		<u> </u>	+	++		Y 8
4		.				· 		<u> </u>	`				_		Ш					L '	_'	_			 	4	/	/Y
5		1	1		'	1		'						(_		i	ı	ı		1_1	_'		1	1	' 		_]'	8 Y
6		,												\Box		1										\prod		8 Y
7				+	+-	+-		H		 			1	1	П			ł	+				L	<u></u>		一		8 Y
		<u> </u>	 	+	-	+	-	+-'	-	+	 	-	+	\sqcap	-) 	لــــا	<u></u> '	+	\vdash	+	+	<u></u>			十	-	8
8	-	 	+	+	-	+-	-	<u> </u>	-	-	 	-	-		H		_	L	+	 '	 - '	_	<u></u>		\vdash	++		Y 8
9			 _ _ 	\perp		 	<u> </u>	<u> </u>			<u> </u>				Ш	<u> </u>				<u>_</u> '	⊥'		<u> </u>		<u></u>	4		Y
0	_'	i	·		'	l										l	l1	1	<u>'</u>	<u>_</u> '	<u>_</u> '		1	1				8 Y
1																-		1		\[\]	['				,		/	8 Y
2				+		+										i							1	' 				8 Y
3			 			+									П	 												8 Y
4			 	+		+-							\exists						+	П								8 Y
5				1		 	<u> </u>									_			+							П		8 Y
6			-			+												1	1				1					8 Y
7																 	1	l	1						,			8 Y
8				1		 											· _	1 _	1					·	 			8 Y
9	1	1	1			1										İ	1	ł	1				l	1	1			8 Y

ACKNOWLEDGMENT

ACTION COMETT
I have read and passiment the statements made herem. possil find them true, accurate
I have read and planemed the statements made heren, will find them true securate and complete.
Gagneture of officer authorized to sun for leases)
Edge 801- 722-4769

101 H HANCOCK COVE COSSUELT LIFAH SYDE

The fol of	MONTHLY O OPERA lowing is a	F THE AL SUI 9-329) 76) 42-RO 3 7 REPO F ATIONS a correct output o	INTER RVEY 56 ORT 6 ct report 19 0 U.s.C., idated di	rt of opera	C F U P C C C tions and	se of Form for I	ea port cluding	status of tions)	Sta S. WEST	wells) for the monti
Well No.	Sec. & 4	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil		ICF of Gas	*Barrels of Water	Remarks
wk He	Sw/4 St/4	215	238	6.51	5	SHUT IN			APR 05 19 DIVISION DIL, GAS &	OF
DISPO	SITION O	F PRO	DUCTI		none, so e, Partici	state. pating Area, o	Com	munitiz	ed Area basis)	
	and, Start					Oil & Condens (BBLS)			Gas (MCF) xxxxxxxxxxx	Water (BBLS) xxxxxxxxxxxxxxxx
*Sold *Spille *Flare *Used	ed or Lost d or Vente on Lease					XXXXXXXXXXXX	XXXX	xxxxx	«xxxxxxxxx	**************************************
*Othe	ted ce Pits r (Identify) and, End (ıth	i		<u>*************</u>	xxxx		xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	*******

*API Gravity/BTU Content
Authorized Signature:

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Form 9-361 Rev.Feb 76 OMB 42-R 0361 This report is r red by law (30 U.S.C. 189, 20 U.S.C. 359, 21 ... 396 d), regulation (30 CFR 221.62), and the terms of the lease. Pailure to report men result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

MONTHLY REPORT
OF
SALES AND ROYALTY

AMENDED REPORT See Reverse of Form For Instructions

	SALES AND ROYALTY									L	REPO	KT .	<u> </u>					•				_		
L-XE XO	LEASE OR CONTRACT NUMBER		MO YR.				BOONCE	CODE COMPANY CODE ROYALTY		NUMBER OF WELLS		SAAVITY TAX. ETC		QUA	MTIT		+	VALUE OR UNIT PRICE			1	+	CARD NO.	
	3 4/5 10/11	13	14	18	10	19 20	21	22 24	28 27	20 20	30 8	3 34	30	36	1		40	40	47			84	_	8
1	71,01730			//	8/	0/	_					+					-	+	+-		+	\dashv		8
2	, ,				I										لـــــا	L				<u> </u>				Y
3																ı	.			1.1				8 Y
4	<u> </u>							`																8 Y
5	+-++-						_					1			.		1	1			 			8 Y
_					 		\vdash			<u> </u>	-	+	\vdash	-	L	L	1	+		L		-	+	8
6	<u> </u>				 							-	-	ļ	1	L	1		-	لــــــا				8
7					I										1	1				Ll	1			Y
8																1	.				1			8 Y
9					 												1				 †			8 Y
0	 				-				 			†	T		1		+	1	1	<u> </u>				8
					 	-	-					+	\vdash	ļ		L	+	_	+-	1				8
1	 				 		_		ļ		ļ	-			1	<u> </u>	1	_	-		+			\Y
2					!										1	1				ــــــــــــــــــــــــــــــــــــــ				8 Y
3					1										1	1					i I			8 Y
4			_	_	 														1		1			8 Y
5	++		-		 					-		1			1	1	+							8 Y
6	+				-							+	 	_	L	<u> </u>	1		+	 1	- 			8
	+ + - +		_		-		-					+	+	-	1	<u> </u>	+ -	+			 		-	8
7			_		+	-	-			-	 	\perp	+-	-	<u> </u>	1	++	\dashv		لــــا	 			8
8					+				ļ	<u> </u>	ļ			_	1	L	1			1	L			/Y
9					L										1	<u>. </u>				1	1			8 Y

ACKNOWLEDGMENT

I have read and exampled the vistaments made horom, and find them frue accurate
Mant Swat.
Signature of officer methorized to sign for Invane)
831-722-4769

Commence	Rosent		S. WEST	
·	10/	14	Hancock	Cove
Add-1925	\sim			

KOOSEVELT LITTH 84066

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Form 9-361 Rev.Feb 76
OMB 42-R 0361

MONTHLY REPORT
OF
SALES AND ROYALTY

AMENDED REPORT See Reverse of Form For Instructions

	sales an	D R	OYA	LTY					L	REPO	AT .	i	لـ										
02 MZ-F		SPECIAL	j	TE	PRODUCT	ROYALTY RATE CODE	BOUNCE	COMPANY	ROVALTY IN KIND	MUNERA OF WILLS	WELL COOK	GRAVITY, NETR.		QUAN	ITITY		COOK 9 POR		1	ALUE OR UNIT		±	C A R D N O.
1		14			19 20	21	22 24	28 27	20 20	90 1	3 34	39	30	7 7	T	49		47	T		30		8 Y
_	71 017209	-	10	15/	C/			<u> </u>			+	=	F	ш	一	干	\dagger	干	T		`	+	8
2	 	_		 	<u> </u>						+	_				-	+	+	ــــــــــــــــــــــــــــــــــــــ			\dashv	8
3				· ↓					<u></u>	ļ	1				-+			_	1	<u> </u>			/Y
4	, ,			1			•			}				1					1	· 			8 Y
5															·					•			8 Y
6					 						+			<u> </u>			\top			L		1	8
	 		-	 		-			<u> </u>		+-	 	-	<u> </u>	+		+	+-		<u> </u>		\dashv	8
7		-	_	-							+	├	-	11		\dashv	\perp	+-	1			\dashv	Y 8
8				 	ļ						_	igspace	<u> </u>	11			\perp	_	<u> </u>				\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
9				، ا										1 1	1				1	·			8 Y
10				T										, ,]				1	; ! !			8 Y
11				 											1								8
2				 		\vdash					1	 	\dagger	1	-		\dagger	 	.1			+	8
	 	-		-		-					+	\vdash	-	1_1	-+		+	+-		1		+	8
3	 	-		+	ļ	_			ļ			 	-			_	-	+-	1	L			8
4		_		<u> </u>								L					\perp	\perp				\perp	\Y
5	, ,			1				ļ												; ;			8 Y
6																							8 Y
7		1				1						T	\vdash	1			\dagger			1			8
		-	-	+	ļ	-		 			╁	+	-	1 1		+	+	+		L		\dashv	8
8	 	-	-	+		╁.				 	+	-	 	11			-	+-	1	-		-	8
9	<u> </u>	<u> </u>		1										11					_1	11			\v

ACKNOWN EDGMENT

1 ham and a		manuscript made horses and find them does no made
		-766-14007
Squares of eff	icer authorized	to sign for Income)
Telephone		

They vive close

Form 9-331 (May 1963)

UNITED STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN TRIPLICATES (Other Instructions on re

Form approved.
Budget Bureau No. 42-R1424.
LEASE DESIGNATION AND SERIAL NO.

DATE _

DEPARTMENT OF THE GEOLOGICAL SUI		5.	U 1736	ND SERIAL NO.
SUNDRY NOTICES AND REP (Do not use this form for proposals to drill or to deeper Use "APPLICATION FOR PERMIT—"	ORTS ON WELLS	·	IF INDIAN, ALLOTTEE	OR TRIBE NAME
			UNIT AGREEMENT NAM	(10)
OIL GAS WELL OTHER 2. NAME OF OPERATOR			FARM OR LEASE NAMI	C .
KOBERT S. WEST		-	ROBERT S. L	US ST
3. ADDRESS OF OPERATOR		9.	WELL NO.	
101 H HANCOCK COUR	COSEUELT LIDAN	84066	WK # ン	
1. LOCATION OF WELL (Report location clearly and in accordance See also space 17 below.) At surface Lourne 330 feef From	e with any State requirements.	MARKE). FIELD AND POOL, OR	WILDCAT
At surface Lourn 330 test treat	non THE EAST	_ 1	U 1 L .) C AL T	K. AND
•		<	Ea_/ T2/S	1238
ROUNDARY EX SECTIO			Shy	
	w whether DF, RT, GR, ec.)	1	2. COUNTY OR PARISH	13. STATE
43-019-30270 44	76		CHNAS	7177
16. Check Appropriate Box To I	ndicate Nature of Notice	, Report, or Oth	er Data	
NOTICE OF INTENTION TO:		SUBSEQUEN	REPORT OF:	
TEST WATER SHUT-OFF PULL OR ALTER CASING	WATER SHU	T-OFF	REPAIRING W	BLI.
FRACTURE TREAT MULTIPLE COMPLETE	PRACTURE T	REATMENT	ALTERING CA	SING
SHOOT OR ACIDIZE ABANDON*	SHOOTING O	R ACIDIZING	ABANDON M EN	T*
REPAIR WELL CHANGE PLANS	(Other)	: Report results of	multiple completion o	on Well
(Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state proposed work. If well is directionally drilled, give sub nent to this work.) * WELL (5 TEM)	all pertinent details, and give surface locations and measured	pertinent dates, inc and true vertical d	m Report and Log for duding estimated data epths for all markers	of starting any and zones perti-
WELL 12 PET				
	i			
•				
2				
18. I hereby certify that the foregoing is true and correct	PITLE CHISTON		DATE 4-9	-82
	TILLS - Jan Je Je			
(This space for Federal or State office use)				

APPROVED BY ______CONDITIONS OF APPROVAL, IF ANY:



4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

April 22, 1983

Robert S. West 101 H. Hancock Cove Roosevelt, Utah 84066

> Re: Well No. West-Kolman # 1-14 Sec. 1, T. 21S, R. 23E. Grand County, Utah

> > Well No. Wk # 2 Sec. 1, T. 21S, R. 23E. Grand County, Utah

> > Well No. Wk. # 1 Sec. 1, T. 21S, R. 23E. Grand County, Utah

Gentlemen:

The above referred to wells have been currently under a temporarily abandoned status for six months or longer. Would you be kind enough to inform this office of a change in status, or let us know if they are still temporarily abandoned, submitted on a Sundry Notice (Form OCC-1B, enclosed).

Thank you for your prompt attention to the above submittal.

Respectfully,


DIVISION OF OIL, GAS AND MINING


Furse

Cari Furse

Well Records Specialist

CF/cf Enclosure





4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

October 25, 1983

Robert S. West 101 H. Hancock Cove Roosevelt, Utah 84066

2nd NOTICE

Re: Well No. West-Wk # 1 330' FSL, 330' FWL SW SW, Sec. 1, T. 21S, R. 23E. Grand County, Utah

> Well No. West-Wk # 2 330' FSL, 2317' FEL SW SE, Sec. 1, T. 21S, R. 23E. Grand County, Utah

> Well No. West-Wk # 1-14 1267' FNL, 1783' FEL NW NE, Sec. 1, T. 21S, R. 23E. Grand County, Utah

Gentlemen:

The above referred to wells have been currently under a temporarily abandoned status for six months or longer. Would you be kind enough to inform this office of a change in status, or let us know if they are still temporarily abandoned, submitted on a Sundry Notice (Form OGC-1B, enclosed).

If these wells have been completed as producing, shut-in, injection, gas storage or plugged and abandoned, please submit a Well Completion Form (OGC-3), stating the procedure of the completed operations.

**You are in violation with the above rule. If you wish to continue developing business in the State of Utah, compliance with pertinent rules and regulations is essential. Further delay in your attention to the above matter may result in punitive action. Please submit the required information as stated above within fifteen (15) days.

Respectfully,

DIVISION OF OIL, GAS AND MINING

Cari Furse

Well Records Specialist

CF/cf Enclosures

2.

SIGNED O	11100	DATE
I hereby certify that the topegoing is true and correct	TITLE ACCOUNTANT	DATE 11-04-83
		DIV. OF OIL, GAS & MARINGE
		NON - S & WHITE
		10 E G E 11 2 9 1983
HOOK-UP WELL WK#	. · · · · · · · · · · · · · · · · · · ·	, .
CURRENTLY WE ARE LA WELL CPI-5. WHEN		
proposed work. If well is directionally drilled, give nent to this work.) *	subsurface locations and measured and	true vertical depths for all markers and zones p
REPAIR WELL CHANGE PLANS (Other) DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly a	Completion	port results of multiple completion on Well or Recompletion Report and Log form.)
FRACTURE TREAT SHOOT OR ACIDIZE ABANDON®		MENT ALTERING CASING
NOTICE OF INTENTION TO:	The state of the s	AURANQUENT REPORT OF:
Check Appropriate Box	To Indicate Nature of Notice, Re	GRAND UTAI
	(Show whether DF, RT, GR, etc.)	SWSE SEC. 17, 215 R. 12. COUNTY ON PARISH 18. STATE
330' FSL 2317' FEL		11. 88C., 1., R., M., OR BLE. ARB
2467 COMMERCE BLVD. GR/ LOCATION OF WELL (Report location clearly and in accor- See also space 17 below.)	AND Je T Co.	81505 WEST -WK #2
R.L. JACOBS OIL & G	SAS COMPANY	8. FARM OF LEASE NAME 9. WELL NO.
OIL GAS WELL OTHER		7. UNIT AGREMENT NAME
SUNDRY NOTICES AND (Do not use this form for proposals to drill or to Use "APPLICATION FOR PERM	REPORTS ON WELLS deepen or plug back to a different rese fit—" for such propossis.)	6. IF INDIAN, ALLOTTEN OR TRIVE N

DATE of Utal Natural Resources On & Gas & Mining NOV 15 1983 Attention Can Funs & Will Records Specialist DIVISION OF _ TIL. GAS & MINING In Regards to Date sent Oct 25 1983 andord Copy. Jacobs On & Gas Stould Have Respond to their Note - if they have not Plane Advise & clinic findout details a give Them to gry, Please Adrice Khut & West -101 H Housel Come Rosrell Util 84066 801- 722-4769 722-45-53 Sent copy of sundry datal 11.0483 on 11.18.83

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OUR GAS AND MINING



DIVISI	ON OF OIL, GAS, AND MINING	5. LEASE !	- 17309
(Do not use this form for proportion (Do not use this form for proportion)	ICES AND REPORTS ON WE sals to drill or to deepen or plug back to a di ATION FOR PERMIT—" for such proposals.)	LLS	AN, ALLOTTER OR TRIBE NAME
OIL GAS OTHER 2. WAME OF OFFRATOR	OPERATOR CHAR	JGE	PLERMENT HAMB
R.L. JACOBS	OIL AND GAS !	2. WELL N	LEASE NAME
4. LOCATION OF WELL (Report location of See also space 17 below.) At surface	BLUD. GRAND JcT.	rements.* 10. FIBLD	AND POOL, OR WILDCAT
SEC. 1	WE SELV	11. and 20.2	A STRING S., M., OR BLE. AND
14. PERMIT NO.	15. BLEVATIONS (Show whether DF, TT, 108, Std.)	SEC. 12. COUNTY	7 OR PARISH 18. STATE
16. Check Ap	propriate Box To India Cis 10 Nor of 1	Notice, Report, or Other Data	ND CHAIT
NOTICE OF INTEN	TION TO: CIL, GAS & MININ	VG SUBBRQUENT REPORT	OF:
FRACTURE TREAT SHOOT OR ACIDIZE	PULL OB ALTER CASING WAT MULTIPLE COMPLETE FRAC ABANDON® SHO	ER SHUT-OFF CTURE TREATMENT OTING OR ACIDIZING Ler) (NOTE: Report results of multiple ('ompletion or Recompletion Report	REPAIRING WELL ALTERING CASING ABANDONMENT* Completion on Well and Log form.)
17. DESCRIBE PROPOSED OR COMPLETED OPE	RATIONS (Clearly state all pertinent details, as mally drilled, give subsurface locations and me		
nent to this work.)		LORADO-PACIFI	
•	R.L. JACOBS OIC	. + GA> Compi	any As
	OF SEC. 1 ALL	, T-21 S, R-2	5 €.
	P 1-4/		
	-P 1-5 NK 1-14'		
	WK 1 -		
	WK 2-		
	WK 1-13~		
	••• •• •• •• •• •• •• •• •• •• •• •• ••		
18. I hereby certify that the oreging is	true and correct	VTANT DAT	2-29-84
(This space for Federal or State off	TITLE	DAT	TE

STATE OF UTAH

SUBMIT				
(Other 1	netr	uction	no n	1 C

OIL & GAS CONSERVATION	(Other Instructions on reverse side)	5. LEASE DESIGNATION AND SERIAL NO.
CUNIDAY MOTICES AND	DEDODIC ON WELLS	G. IF INDIAN, ALLOTTER OR TRIBE NAME
SUNDRY NOTICES AND (Do not use this form for proposals to drill or use "APPLICATION FOR PEI		·
1.	- tot such proposately	7. UNIT AGREEMENT NAME
WELL WELL OTHER OPER.	ATOR CHANGE	8. FARM OR LEAST NAME
R.L. JACOBS OIL AN	D GAS Co.	
3. ADDRESS OF OPERATOR		9. WBLL NO.
4. LOCATION OF WELL (Report location clearly and in ac	CONTRACTION CO. 81505 cordance with any State requirements.	10. FIELD AND POOL, OR WILDCAT
See also space 17 below.) At surface		GREATER CLSCO
SECTION 1	·	11. IRC., T., E., M., OR BLK. AND BURYET OR AREA
		SEC. 1, T-21 S, R-23 E
14. PERMIT NO. 15. BLEVATION	s (Show whether DF, तर, CR, etc.)	GRAND UTAH
10. Charle Appropriate Ro	x To Indicate Nature of Notice, Report, or (
NOTICE OF INTENTION TO:		QUINT REPORT OF:
TEST WATER SECT-OFF PULL OR ALTER	TASING WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT MULTIPLE COMPL		ALTERING CASING
RUPAIR WELL CHANGE PLANS	8HOOTING OR ACIDIZING (Other)	ABANDON MENT*
(Other) OPERATOR CHANGE	(Note: Report result	s of multiple completion on Well pletion Report and Log form.)
17. DESCRIBE PROPOSED OR COMPLETED EXPRATIONS (Clevel proposed work. If well is directionally drilled, gonet to this work.)	y state all pertinent details, and give pertinent dates we subsurface locations and measured and true vertic	s, including estimated dute of starting any cal depths for all markers and zones perti-
EFFECTIVE MARCH	1 1 1985 R.L. Ja	ICOBS OIL + GAS CO.
HAS DESIGNATE	D B.L. OIL AND GA	rs Co. As
OPERATOR OF SE	c. 1 ALL, T-215,	R-23E
WELLS: CP1-4		
CP1-5	ρ	L. Oil AND GAS Co.
		•••
WK 1-13		17 PANORAMA DR.
WK 1-14	(71	PAND JUNCTION, Co. 8150
\ullet 1		
wK 2		
, WK <		
18. I hereby certification the fartefing is true and corre		DATE 3-6-85
BIGNED . Collins	TITLE ACCOUNTANT	DATE CO TO TO
(This space for Federal or State office use)		
APPROVED BY	_ TITLE	DATE
•		

B. L. OIL & GAS CO. 617 PANORAMA DR. GRAND JUNCTION, CO 81503 (303) 243-8992

July 1,1985

UTAH NATURAL RESOURCES OIL & GAS.

RECEIVED

JUL 05 1985

GENTLEMEN:

DIVISION OF OIL GAS & MINING

THE FOLLOWING WELLS ARE NON PRODUCTIVE AND BL.M. HAS REQUESTED THAT THEY be PLUGGED AND ABANDON I DO NOT HAVE ANY INFORMATION ON THEM. PLEASE CHECK YOUR FILES AND SEE IF YOU HAVE A COMPLETION REPORT ON THEM.

IF YOU DO, I WOULD APPRECIATE A COPY.

METT	API NO.	SEC.	TOWNSHIP	RANGE	COUNT
WK 1-14	4301930299	1	215	236	GRANE
MK-1	?	swsw,	215	23E	Gan
WK-2	?,	sw st	21 5	23 €	GORAN

THANK YOU
LEN COLLIN'S



Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

March 7, 1986


Tn: Well File Memo


FROM: J.R. Baza JPD

RE: Well No. WK 2, Sec.1, T.21S, R.23E, Grand County, Utah

The well file contains insufficient information to determine if the well is properly temporarily abandoned or not. The operator submitted a Sundry Notice dated April 9, 1982, indicating that the well was temporarily abandoned; however, there is no indication that a temporary plug was set to isolate the producing interval. After several changes of operator, a letter dated July 1, 1985, was submitted by B. L. Oil & Gas Co. stating that the well was to be plugged and abandoned. No further information has been received by the Division and it would seem that either the operator or the Bureau of Land Management should have additional information which could be included in our files. The well file should be listed as SI producing well until the operator submits information to the contrary.

sb 0265T-31





355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

April 7, 1986

B.L. Oil & Gas 617 Panorama Drive Grand Junction, Colorado 81503

Gentlemen:

Re: Well No. West WK 2 - Sec. 1, T. 21S., R. 23E., Grand County, Utah - API #43-019-30270

In order to determine if the referenced well is a temporarily abandoned well, it is necessary that the condition of the well bore comply with the requirements of Rule 315 (i) of the Oil and Gas Conservation General Rules.

A records review of the well file indicates that insufficient information is available to determine where, or if, temporary plugs have been set. Please provide sufficient information as to the condition of the well, to determine if any interval open to the well bore has been properly sealed with a cement plug or bridge plug, and if the well bore is isolated to prevent migration of fluids through or out of it.

Your response by April 27, 1986 will be appreciated, and should be addressed to:

> Division of Oil, Gas & Mining Attention: Suspense File - Norm Stout 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203


> > Respectfully,

Norman C. Stout Records Manager

pk

Dianne R. Nielson cc: Ronald J. Firth John R. Baza Well File Suspense File

01705/11





355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

April 7, 1986

B.L. Oil & Gas 617 Panorama Drive Grand Junction, Colorado 81503

Gentlemen:

Re: Well No. West WK 2 - Sec. 1, T. 21S., R. 23E., Grand County, Utah - API #43-019-30270

In order to determine if the referenced well is a temporarily abandoned well, it is necessary that the condition of the well bore comply with the requirements of Rule 315 (i) of the Oil and Gas Conservation General Rules.

A records review of the well file indicates that insufficient information is available to determine where, or if, temporary plugs have been set. Please provide sufficient information as to the condition of the well, to determine if any interval open to the well bore has been properly sealed with a cement plug or bridge plug, and if the well bore is isolated to prevent migration of fluids through or out of it.

Your response by April 27, 1986 will be appreciated, and should be addressed to:

Division of Oil, Gas & Mining Attention: Suspense File - Norm Stout 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Respectfully,

Norman C. Stout Records Manager

pk cc:

Dianne R. Nielson Ronald J. Firth John R. Baza Well File Suspense File

01705/11

+ NOTE - 4-18-86 THE WELL BORE IS IN THE SAME CUNDITION AS IT WAS AS PER THE COMPLETION REPORT OF 2-5-76

OPERATOR

STATE OF UTAH

ONSERVATION COMMISSION 34 DE COMISSION 34 DE COMMISSION 34

OIL & GAS CONSERVATION COMMISSION VETER alde)	U-17309
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTER OR TRIBE NAME
	7. UNIT AGREEMENT NAME
WELL WELL STHER OPERATOR CHANGE	
2. NAME OF OPERATOR	8. FARM OR LEASE NAME
B. L. OIL AND GAS COMPANY 3. ADDRESS OF OPERATOR	9. WELL NO.
617 PANORAMA DR. GRAND JUNCTION CO. 81503	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.	10. FIELD AND POOL, OR WILDCAT
See also space 17 below.) At surface	GREATER - CISCO
SECTION 1 ALL	SURVEY OR AREA
And the second s	SEC. 1, T-215, R-23E SA
14. PERMIT NO. 15. BLEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARISH 18. STATE
	GRAND UTAH
16. Check Appropriate Box To Indicate Nature of Notice, Report, or	Other Data
	EQUENT REPORT OF:
TEST WATER SHUT-OFF PULL OR ALTER CASINO WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT	ALTERING CABING
SHOOT OR ACIDIZE ABANDON* SHOOTING OR ACIDIZING	ABANDONMENT*
REPAIR WELL CHANGE PLANS (Other)	Its of multiple completion on Well
(Other) OPERATOR (HANGE - L) Completion or Recon	apletion Report and Log form.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dat proposed work. If well is directionally drilled, give subsurface locations and measured and true vert nent to this work.) *	ical debtus for all markets and zones berti-
EFFECTIVE AUGUST 5,1988 B.L. OIL AND G	AS G. HAS LESIGNATED
ABRAHAM R. GLADSTONE 36 DEBORAH TERRACE,	ENGLEWOOD CLIFF, N.J. "07632
3305 AS OPERATOR OF SEC. 1 ALL, T-215, 12-23E	SLM.
WELLS: WK#1 (SW/4 SW/4)-43-019	30266 BRBSN
11K#2 (3079 DE)97 - 40	/ 7 SLTW
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	OKTA
CO#1-4 (SE1/4 SW1/4) - 43-00	17-3067 DITA
43-01	9-30674 DATA
Cp#1-5 (NW/9 NW/7)-	9- 30268 SLTW
VILK# 1-13 (SW1/2 NE /4) 43- 02	i aca arasa
43-0/	9- 30299 61130
MX 21-79 (NW /9 102 /1)	
	•
18. I hereby certify that the foregoing is true and correct	1 2- 24
BIGNED Collins TITLE OPERATOR	DATE 8-22-88
(This space for Federal or State office use)	
	.
APPROVED BY TITLE TITLE	DATE

iner 1983)	DEPARTMENT OF THE INTERIO	(Other instructions on re	5. LEASE DESIGNATION AND SERVE NO.
.#erty 9=331)) (SEE NO 17
	BUREAU OF NO MANAGEMENT		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNI	DRY NOTICES AND REPORTS O	N WELLS	
the not use this	form for proposals to drill or to deepen or plug ba Use "APPLICATION FOR PERMIT—" for such pro	ck to a different reservoir.	
1.	ASSIGNMENT OF RIGHTS AS DESI		7. UNIT AGREEMENT NAME
OIL CAB (ASSIGNMENT OF RIGHTS AS DEST	* * COMPRESSOR STATI	ON. NONE
WELL WELL			8. FARM OR LEASE NAME
	OL ADOTONE	PERMI	SEE NO. 17
ABRAHAM R.	GLADSTONE	750 7	9 WELL NO.
 -	TERRACE ENGLEWOOD CLIEFS N	07632) SEE NO. 17
36 DEBUKAH	TERRACE, ENGLEWOOD CLIFFS, N., eport location clearly and in accordance with any S	itate requirement 9 1988	10. FIELD AND POOL, OR WILDCAT
See also space 17 belo	w.)		GREATER CISCO AREA
at surrect		JIVISION OF	11. SEC., T., R., M., OR BLK. AND
DETAILED IN	N NO. 17	CIL, GAS & MINING	SURVET OR AREA
14. FERMIT NO.	15. ELEVATIONS (Show whether DF.	2T, GR, etc.)	12. COUNTY OR PARISH 13. STATE
11. 124212 1.0.		•	GRAND UTAH
18.	Check Appropriate Box To Indicate No	ature of Notice, Report, or	Other Data
,	OTICE OF INTENTION TO:	20355	QUENT ERPORT OF:
			REPAIRING WELL
TEST WATER BRUT-OF	· [-]	WATER SHUT-OFF	ALTERING CARING
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ABANDONMENTO
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	
REPAIR WELL	CHANGE PLANS	(Other)	ts of multiple completion on Well
(Other) ASSIGNM	ENT OF OPERATOR RIGHTS.	Completion or Recom	pletion Report and Log form.)
Station are hereby Don D. Armentrout,	ts as Designated Operator of the follo transferred to Geophysical Survey Com President. Y, UTAH. I 20 S, R23 E, SLB&M.	npany, 2250 Tiffany Drive	e, Grand Junction, CO 81503,
LEASE SERIAL NUMBE		WELLS AND LOCA	ATION :
		LEN 13-3 (SELS	Fk1
บ-7623	Section 13: E½.	THOMAS 2A (SWASI	
M		THOMAS 8 (NEES	
	SECTION 24: SW4.	LEN 24-4 (NW4S)	
H H	я	LEN 24-3 (NE\si JACOBS 24-1 (SE\si	
	SEC. 25: EYNWY, WYNEY.	JACOBS 25-1 (SEN	/ /ኔ)
#	II	LEN 25-2 (NWAN	E¼)
U-7945	SECTION 13: SW\SW\s.	JACOBS 1 (S₩%S	W ¹ 4)
U-6355B	SECTION 9: ENEW.	3-355 (NENN	
fi It	- H	1-355 (SE\N 1-355A (SE\N	
"	~~ = 4 0 = = 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1-355A (SE½N	LQ
U-17309	T 21 S, R 23 E, SLB&M. SECTION 1: A	LL CP 1-5 (NW\(\frac{1}{2}\) CP 1-4 (SE\(\frac{1}{2}\)SE\(\frac{1}\)SE\(\frac{1}{2}\)SE\(\frac{1}\)SE\(\frac{1}{2}\)SE\(\frac{1}2\)SE\(\frac{1}2\)SE\(\frac{1}2\)SE\(\frac{1}2\)SE\(\frac{1}2\)SE	
*	•	WK 1-13 (SE4S	
#	# #	₩K 1-14 (N₩\\\ ₩K 1 (S₩\\\S	
"	 N	MR 3 (SWES	E4)
		WK 3 (NWES	MŽ)
	the foregoing is true and correct	ourin-	2-14-8%
SIGNED	TITLE	Comma,	DATE
(This area 4- F-4	eral or State office use)		
(Ins space for Fed	cies of Specialmic such		
APPROVED BY	TITLE		DATE
CONDITIONS OF A	PPROVAL, IF ANY:		

355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Ut 84180-1203. ● (801-538-5340)

Operator name and address:

	1		2
Page.	<u> </u>	of	



MONTHLY OIL AND GAS PRODUCTION REPORT

 GEOPHYSICAL SURVEY COMPANY 2250 TIFFANY DRIVE GRAND JUNCTION CO 81503 ATTN: DON ARMENTROUT 			Utah Account No Report Period (M Amended Report	10nth/Year) 12 / 90
Well Name Producing	Days	Production Volume		
API Number Entity Location Zone	Oper	Oil (BBL)	Gas (MSCF)	Water (BBL)
FEDERAL 1-355 4301930115 00240 20S 23E 9 BUKHN		u-6355		
THOMAS FED #8 4301930148 00565 20S 23E 13 OKTA		U-7623		
ROBERT S. WEST WK #1 4301930266 00566 21S 23E 1 BRBSN		U-17309		
WK #3 4301930267 00566 218 23E 1 \SLTW		4		
WK 1-13 <i>43-019-30420</i> 4 301930268 00566 21S 23E 1 YSLTW		u		
WK #2 1930270 00566 215 23E 1 BRBSN		1.		
KOLMAN FED 1-14 4301930299 00566 218 23E 1 BRBSN CP 1-4		0		
4301930671 00566 21S 23E 1 DKTA				
4301930674 00566 21S 23E 1 DKTA	_	11	<u>(</u>	
4301930378 00567 20S 23E 13 . DKTA» JACOBS FED 1-25	-	NOT CHANGED	(u-7945)	
4301930486 00568 20S 23E 25 SLTW		U-7623		
4301930510 00569 20S 23E 24 MRSN		(1		
CISCO SPRINGS #24-3 4301931179 00571 20S 23E 24 VOKTA		ti		
	TOTAL			
Comments (attach separate sheet if necessary)				
	•			· · · · · · · · · · · · · · · · · · ·
I have reviewed this report and certify the information	on to be	e accurate and complete.	. Date	
			Telephone	
Authorized signature			• • •	



EPS Resources Corporation

5655 South Yosemite Suite 460 Englewood, CO 80111 Phone (303) 721-7920 Fax (303) 721-6025

February 8, 1991

Lisha Romero
Division of Oil, Gas & Mining
3 Triad Center, Suite 350
355 W. N. Temple
Salt Lake City, Utah 84180-1203

Dear Lisha:

Per my recent conversation with Vicky Carney, enclosed please find copies of the signed Sundry Notices for change of operatorship for wells located in the Cisco Springs Field. It would appear that the Bureau of Land Management recognizes EPS Resources Corporation as operator, since we have been receiving pre-printed monthly production forms.

If you need any additional information, please call me.

Sincerely,

Dale Anne Kessler

₩ FEB 10 1991 ==

Commence of the

(120111-21)	HE INTERIOR reese sides	
SUNDRY NOTICES AND (Do not use this form for proposals to drill or to Use "APPLICATION FOR PERS	REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
ī.		7. UNIT AGREEMENT NAME
WELL X CAS X OTHER		8. FARM OR LEASE NAME
EPS RESOURCES CORPORATION		Federal
5655 S. Yosemite, Suite 460,	Englewood, CO 80111	9. Wall NO. CP 1-4, CP 1-5, WK 1-13, WK 1-14, WK 1, WK 1, WK -3
4. LOCATION OF WELL (Report location clearly and in acco	ordance with any State requirements.	10. FIELD AND POOL, OR WILDCAT
WK 3 Sec. 1: CP 1-4 Well Sec. 1: SELSWL,	CPI-5 Well Sec. 1: NW NW NW	Cisco Springs 11. SEC. T. L. M. OF BLE. AND SURVEY OF ARIA
WK 1-13 Well Sec. 1: SELSWL,	WK 1-14 Well Sec. 1: NW NI	
WK 1-Well Sec. 1: SW\u00e4SW\u00e4,	WK 2 Well Sec. 1: SWESE	Section 1-T21S-R23E
43-019-30-674, 43-019-30-267, 43-0 43-019-30-266, 43-019-30-671, 43-0	19-30-268 19-30-299, 43-019-30-276	- Grand Utah
	To Indicate Nature of Notice, Report	, or Other Data
NOTICE OF INTENTION TO:	-	UNSEQUENT EMPORT OF:
TEST WATER SKUT-OFF PULL OR ALTER C	VATER SECT-OFF	REPAIRING WELL
PRACTURE TREAT MULTIPLE COMPI.	FRACTURE TREATMENT	ALTERING CARING
SHIMIT OR ACIDIZE ASANDON®	SECOTING OR ACIDIZIN	ABANDONMENT*
REPAIR WELL CHANGE PLANS	Other	results of multiple completion on Well
17. HENCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly proposed work. If well is directionally drilled, given near to this work.)	the all posterior datash and give pertinent	ecompletion Report and Log form.) dates, including estimated date of starting any rertical depths for all markers and zones perti-
Please be advised that EPS Resorthese wells in the Cisco Spring the terms and conditions of the lands effective July 26, 1990.	s Field in Grand County, Ut	ah and is responsible under
Bond coverage for the listed we	ells is provided by LC #244.	
		DECERVED
	-	
	•	FEB 27 1991
		DIVISION OF
•		OIL. GAS & MINING
		•
	1	
18. I hereby certify that the foregoing is true and core		0.7.00
SIGNED Edward Neibauer	TITLE President	DATE 8-7-90
(This space for Federal or State office use)	Assistant District Manage	r , _
incorre or hillian C. Attende	for Minerals	DATE 9/12/90
CONDITIONS OF APPROVAL IF ANT:		
APPROVE Williams of Op cond GG; 2/15/10		

Division of Oil, Gas and Mining OPERATOR CHANGE HORKSHEET				Routing:
Attach all documentation received by the division Initial each listed item when completed. Write N	/A if item is not appli	cable.		2-DT8-73 3-VLC 4-RJF
KKChange of Operator (well sold) ☐ Designation of Operator	☐ Designation o ☐ Operator Name			5- RWM 6- LCR / CR
The operator of the well(s) listed below	w has changed (EFFI	ECTIVE DATE:	7-26-90))
TO (new operator) (address) EPS RESOURCES CORPORA 5655 SOUTH YOSEMITE, ENGLEWOOD, CO 80111 DALE ANNE KESSLER phone (303) 721-7920 account no. N 2025	<u>STE 4</u> 60	er operator) (address)	2250 TIFF GRAND JUN DON ARMEN phone (30	CTION, CO 81503
Hell(s) (attach additional page if needed):		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
Name: **SEE ATTACHED** API: Name: API: Name: API: Name: API: Name: API: Name: API: Name: API:	Entity: Entity: Entity: Entity: Entity: Entity:	SecTw SecTw SecTw SecTw SecTw	oRng oRng oRng oRng oRng	Lease Type: Lease Type: Lease Type: Lease Type: Lease Type:
OPERATOR CHANGE DOCUMENTATION				
operator (Attach to this form).	ner <u>legal</u> document [<i>Lec. 2-27-91</i>]	tation has	been rece	ived from <u>former</u>
fcf 2. (Rule R615-8-10) Sundry or other (Attach to this form). (Rec. 2-2)	· <u>legal</u> documentati 7-91)	on has been	receïved	from <u>new</u> operator
3. The Department of Commerce has be operating any wells in Utah. I yes, show company file number:	Is company registem	the new opera red with the	ator above state? (is not currently yes/no) If
4. (For Indian and Federal Hells (attach Telephone Documentation comments section of this form. changes should take place prior	r Form to this re Management revie	eport). Mak w of Federa	ke note k l and Ind	of BLM status in ian well operator
5. Changes have been entered in the listed above. (3-1-91)	Oil and Gas Info	rmation Syste	em (Wang/]	IBM) for each well
for 6. Cardex file has been updated for				
ff. Well file labels have been updat	ed for each well l	isted above.		
10 8. Changes have been included on the for distribution to State Lands	he monthly "Operat	or, Address,		ount Changes" memo

9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

RATOR	CHANGE WORKSHEET (CONTINUED) Initi each item when completed. Write N/A
TITY	REVIEH
left.	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) No (If entity assignments were changed, attach copies of Form 6, Entity Action Form). In EPS Resources, please leave entities as is (3-4-91)
	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
ND VE	ERIFICATION (Fee wells only)
	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
la 2.	A copy of this form has been placed in the new and former operators' bond files.
1/4 3. fer	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
ASE I	INTEREST OHNER NOTIFICATION RESPONSIBILITY
1/11. 5√5-91 3-5-91	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
1	Copies of documents have been sent to State Lands for changes involving State leases.
ILMIN	
	All attachments to this form have been microfilmed. Date: March 11 1991.
ILING	
乳1.	Copies of all attachments to this form have been filed in each well file.
folz.	<u>Copies</u> of all attachments to this form have been filed in each well file. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
MHEN	TS
8 Fm	n-Moab - Approved changes on 8-17-90 = 8-22-90 eff. 7-26-90 (Verlene Bulls)

Formari, 9-331)	BUREAU OF LAND MANAGEMENT		See belaw
SUND OF WE COIN SO	RY NOTICES AN REPORTS C	ON WELLS ack to a different reservoir.	6. IF INDIAN, ALLOTTER OR TRIBE NAME
OIL DOGA D			7. UNIT AGREEMENT NAME
2. HAVE OF OPERITOR	RESOURCES Corp.		S. FARM OR LEADE NAME
3. ADDRESS OF OPERATOR PO BOX	870171		VACIOUS
i. LOCATION OF WELL (Rep. See also space 17 below.	port location clearly and in accordance with any	State requirements.*	10. FIELD AND POOL, OR WILDCAT
•	SEE Attached		11. SPO., T., B., W., OR SLX. AND TION ACTE TION ACTE
14. PERMIT NO.	18. ELEVATIONS (Show whether DY,	AT, OR, etc.)	COUNTY OF TAKISH 18, STATE
13.	Check Appropriate Box To Indicate N	ature of Notice, Report, or (
ю	TICE OF SHEHEICH TO:	• • •	THAT ERPORT OF:
TEST WATER BHOT-OFF	[]	WATER SHOT-OFF	REPAIRING WELL
PRACTURE TREAT BIOTOR OR ACIDIE	MULTIPLE COMPLETE	SHOOTING ON TCIDIZING	TRYNDONMENT.
ACPAIA WELL	CHANGE PLANS	(Other)	s of multiple completion on Weil
(Other)	TOMPLETED OPERATIONS (Clearly state all pertisesses) and is directionally drilled, give subsurface locat		s of multiple completion on Well pletion Report and Log form.) s, including estimated date of starting any
nant to this work.) ?			
WE I	have purchased to d on attached ex	the leasen +	proputies
liste	d an attached ex	chibits.	- 1d
Puro	choud from Mr. D Abraham R.	aster Petroleu	uem + DEUElopment
'An'	D Abraham R.	GLADStone	* EPS Resources Corp. /p
WE !	are operators of t	these learnes.	wells vis of
8.	-1-91		
There	is one ADDItiona	I lense which	h we do not
have	informatian an.	It is lea	# UTU 7845.
It h	ins I gas well.	on it-Juco	bs #1 well + Hedden & Herrison
IN. I bereby certily that	the foregoing is frue and correct	1500 2002 20 20	DATS 10-7-91
SICNED .	Comments of the Comments of th	10 president	DITS/W
•	ral or State office use)		DATE
CONDITIONS OF A	PPROVAL, IF ANY:		W 40 4 40 Company Comp

*See Instructions on Reverse Side

UNITED STATES (Other instructions of the intervence of the interve	1.1TU 17309
BUI EAU OF LAND WARLING	INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form Use APILICATION FOR PERMIT—" for such proposals.)	7. UNIT AGREEMENT NAME
WELL WELL OTHER	8. FARM OR LEASE NAME
Saturn Resources Con	See Attached
PO BOX 87017 DALLOS TEXAS 75287 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*	10. FIELD AND POOL, OR WILDCAT
See also space 17 below.) At surface See Attached	11. SEC., T., E., M., OR BLK. AND SURVEY OR ARMA
1 15 ELEVATIONS (Show whether DF, RT, GR, etc.)	Grand County UTaH
14. PERMIT NO.	10111119
Check Appropriate Box To Indicate Nature of Notice, Repo	SUBSEQUENT REPORT OF:
NOTICE OF INTENTION TO: WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF	REPAIRING WELL ALTERING CASING
FRACTURE TREAT SHOOTING OR ACID	- VERNATURE
SHOOT OR ACIDIZE ABANDON*	a riting completion on Well
REPAIR 1202 Completion	or Recompletion
(Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent proposed work. If well is directionally drilled, give subsurface locations and measured and nent to this work.)	
	eff. 8/1/ai
Saturn Res. Corp is taking over operations of	the above captioned well.
Saturn Kes. Corpis taking over operations of	and conditions of the
Saturn Res. Corp is responsible under the term lease for operations conducted on the leased lands	
Bond coverage for this well will be provided by BLM	1 Bond No. <u>UT0841</u> .
Wells: CP 1-5	TIV!
CP 1-4	E WIEDERS
1-14 WK-2	
wK-1-13	OCT 3 0 1991
ωK-3 ωk-1	DIVISION OF
	OIL GAS & MINING
IN. I hereby certify that the stregoing is true and correct	New 9-5-91
SIGNED SIGNED ASSISTANT DISTILLE WAS ASSISTANTED TO THE WAS ASSISTAN	DATE
(This space for Federal or State office use) for Minerals	DATE 10 /25/9/
CONDITIONS OF APPROVAL, IF ANY: CONDITIONS OF APPROVAL, IF ANY: CONDITIONS OF APPROVAL, A	
*See Instructions on Reverse Side	

DPPZOVE W Charles of Operator condition of the ALT 10/25/4!

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ach all documentation received by the	Write N/A if item	is not applicab	le.	· ·	3-VLC	_
tial each listed item when completed.	HILLE HAM IT ICEM	.5 oppiicas	- -		4-RJF	_
Change of Operator (well sold)	□ Des	ignation of A	gent		5_RWM	_
Designation of Operator		rator Name Ch			6_ADA	
e operator of the well(s) lister (new operator) (address) (address) R. LYNN DEMPSE phone (214)41	ES CORP. 71 287 Y 8-1701	FROM (former	operator) (address)	8-1-91 EPS RESOURCE 5655 S. YOSE ENGLEWOOD, C DALE ANNE KE phone (303) account no.	MITE, #460 0 80111 SLER 721-7920	
account no. <u>N</u>	ded):					
lame: W KOLMAN FED 1-14/BRBSN API lame: WK #2/BRBSN * API lame: WK 1-13/SLTW API lame: WK #3/SLTW API lame: WK #3/SLTW API	: 43-019-30299 E : 43-019-30270 E : 43-019-30420 E : 43-019-30267 E	ntity: 566 ntity: 566 ntity: 566 ntity: 566	_ Sec_1_Twp _ Sec_1_Twp _ Sec_1_Twp _ Sec_1_Twp _ Sec_13_Twp	21S Rng 23E L 21S Rng 23E L 21S Rng 23E L 21S Rng 23E L 20S Rng 23E L	ease Type: <u>U</u> ease Type: <u>U</u> ease Type: <u>U</u> ease Type: <u>U</u>	1–17309 1–17309 1–17309 1–7623
PERATOR CHANGE DOCUMENTATION 14-1. (Rule R615-8-10) Sundry operator (Attach to this 14-2. (Rule R615-8-10) Sundry (Attach to this form). (A						
(Attach to this form). (Altach to this form).	ce has been con Utah. Is compa	tacted if th	e new oper	ator above i	s not curre	
Left 4. (For Indian and Federal (attach Telephone Docum comments section of thi changes should take plac	Wells ONLY) Thentation Form	to this rep ement review	ort). Ma	ke note of	DLM Status	2 111
fcf-5. Changes have been entere listed above. (11-5-91)	ed in the Oil a	nd Gas Inform	nation Syst	em (Wang/IBI	M) for each	well
# 6. Cardex file has been upd	lated for each w	vell listed a	bove. (11-6-9	91)		
Lec 7. Well file labels have be				_		
Yul 8. Changes have been inclufor distribution to State	ded on the mont te Lands and the	thly "Operato e Tax Commiss	or, Address ion. <i>(11-5-1</i>	and Accou		
folg. A folder has been set u placed there for referen	p for the Opera nce during rout	ator Change f ing and proce	ile, and a ssing of t	a copy of th he original	is page has documents.	been
		OVER –	•		· .	

(PAGE 2)

1-LOW 7-LCR

121011 01 0113 002

ERATOR CHANGE HORKSHEET

ach all documentation received by the desion regarding this change.

OR CHANGE WORKSH	EET (CONTINUED) In	itial <u>h</u> item wh	en completed. N	Vrite N/A if	m is not app	licable.
Y REVIEH						
entity char	 -8-7) Entity as nges made? (yes tity Action For	:/n(o) (If	e been review entity assig	ed for all nments were	wells list changed, a	ed above. Were ttach <u>copies</u> of
\ . State Land entity chan		c Commission h	ave been no	tified thr	ough normal	procedures of
VERIFICATION	(Fee wells onl	y)				•
Rule R615 proper bond		operator of a	iny fee leas	e well lis	ted above l	nas furnished a
	this form has b	een placed in	the new and f	ormer oper	ators' bond	files.
IA The former Today's da Adated	operator has te19	requested a re 19	lease of lia If yes, di	bility fro vision res	m their bond ponse was	d (yes/no) made by letter
	NER NOTIFICATIO	N RESPONSIBILI	TY			
notified by Laperson with	y letter dated	in such lease	19, o	f their re	sponsibility	above has been to notify any ntation of such
	documents have	been sent to S	tate Lands fo	or changes	involving St	ate leases.
NG					\$4	
. All attachn	ments to this f	orm have been	microfilmed.	Date:		19
ig						
p . <u>Copies</u> of a	all attachments	to this form	have been fil	led in each	well file.	
The <u>original</u> Change file	<u>al</u> of this for e.	m and the <u>oric</u>	<u>uinal</u> attachm	ents have	been filed	in the Operato∵
THIS						
111028 B/m	lmoab Approve	ed 10-25-91 cff.	8-1-91. (See B	Im approved	Sundries rec	1/ 10-30-91)

					· · · ·	

/34-35

P. 03

STATE OF OKLAHOMA

,) SS:

COUNTY OF OKLAHOMA

On this 29th day of November, 2000, before me the undersigned notary public in and for the county and state aforesaid, personally appeared Janice D. Loyd, Trustee to me known to be the identical person who signed the name of the maker thereof to the within and foregoing instrument, as trustee of the estates of Saturn Resources, Inc., case number BK-97-15213-BH and Ray Lynn Dempsey, case number BK-99-16587-BH, and acknowledged to me that she executed the same as her free and voluntary act for the use and purposes therein set forth.

Given under my hand and seal the day and year first above written.

Notary Public

My Commission Expires:

5-16-01



This indenture, made this 29th day of November, 2000, between Janice D. Loyd as Trustee appointed for Saturn Resources, Inc., debtor in case number BK-97-15213-BH and Ray Lynn Dempsey, debtor in case number BK-99-16587-BH in the United States Bankruptcy Court for the Western District of Oklahoma, parties of the first part and Falcon Energy, L.L.C., 4103 S. 500 West, Salt Lake City, Utah, 84123, party of the second part, and pursuant to Rule 6004 of the Federal Rules of Bankruptcy Procedure authorize the execution of this document.

NOW THEREFORE, know ye that I, Janice D. Loyd, Trustee, by virtue of the power and authority in me vested, as aforesaid, and in consideration of the sum of Ten Dollars (\$10.00) and other valuable consideration, to me in hand paid, the receipt of which is hereby acknowledged, do hereby quit claim, grant, bargain, sell and convey unto the said party of the second part all my right, title, interest, estate and every claim and demand, both at law and equity, in and to the following described property, free and clear of the known liens and encumbrances, to-wit:

See Exhibit "A" attached

together with all and singular tenements, hereditaments and appurtenances thereunto belonging.

To have and to hold the said above described premises unto party of the second part, its successors and assigns forever, so that neither Janice D. Loyd, Trustee, said party of the first part nor any person in her name or on her behalf, shall or will hereafter claim or demand any right or title to the said premises or any part thereof; that they and everyone of them shall by these presents be excluded and forever barred.

IN WITNESS WHEREOF, the party of the first part has hereunto set her hand and seal this 29th day of November, 2000.

> JANICE D. LOYD, Trustee, and only as Trustee, of the Estate of Saturn Resources, Inc. BK-97-15213-BH and Ray Lynn Dempsey, BK-99-16587-BH

BLINGHAM, COUNTS & Loyd, P.C. 20st Oklahoma Tower 210 Park Avenue

FEGIVE

FEB 0 8 2001

DIVISION OF OIL, GAS AND MINING Form 3160-5 (November 1994)

UNITED STATES

FORM APPROVED OMB No. 1004-0135 Expires July 31, 1996

DEPARTMENT OF	THE INTERIOR
BUREAU OF LAND	MANAGEMENT

5. Lease Serial No.

SUNDR	Y NOTICES AND REPO	ORTS ON WELLS	ج سرد د	See Attached his Y
Do not use th abandoned we	6. If Indian, Allottee or Tribe Name			
SUBMIT IN TR	IPLICATE - Other Instr	uctions ဨိုကို reverse	side 2: 18	7. If Unit or CA/Agreement, Name and/or No.
Type of Well Oil Wells A Gas Wells	Other Right-of: Wa	ys	E MTER	8. Well Name and No.
. Name of Operator Falco				9. API Well No.
la. Address		3b. Phone No. (include 801 - 26	e area code) 9-0701	See Attached 10. Field and Pool, of Exploratory Area
Location of Well (Footage, Sec.	., T., R., M., or Survey Descriptio			Greater Cisco Area
See AH	tacked hist			11. County or Parish, State Grand, Wal
12. CHECK AF	PROPRIATE BOX(ES) T	O INDICATE NATU	RE OF NOTICE, R	EPORT, OR OTHER DATA
TYPE OF SUBMISSION		TY	PE OF ACTION	
Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat	Production (Star	t/Resume)
Subsequent Report	Casing Repair	New Construction	Recomplete	Other Change of
Final Abandonment Notice	Change Plans Convert to Injection	Plug and Abandon Plug Back	☐ Water Disposal	andon Operator
If the proposal is to deepen dire Attach the Bond under which the following completion of the investing has been completed. Find determined that the site is ready	petionally of recomplete norizont the work will be performed or prolved operations. If the operational Abandonment Notices shall for final inspection.)	any, give substract to called rovide the Bond No. on file on results in a multiple combe filed only after all required and the filed only after all required and filed filed only after all required and filed fil	with BLM/BIA. Requipletion or recompletion irements, including recl	ny proposed work and approximate duration thereof. ue vertical depths of all pertinent markers and zones. ired subsequent reports shall be filed within 30 days in a new interval, a Form 3160-4 shall be filed once amation, have been completed, and the operator has EFICHIVE 11 29 2000
Falson ENE conditions of lands or right	yy, LLC is the leases ts-of-way or	per por s. b. for opera- portions	le under Lions co. Llevert.	reducted on the lessed
14. I hereby certify that the foregoing Name (Printed/Typed)	ng is true and correct	CH Confession Tiple		by BLM Bond No. UT1049 EEROR 2001

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

OIL GAS AND MINING

DIVISION OF

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

of Division of Resources

12-6-00

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Falcon Energy, LLC Well Nos: List Attached Leases: List Attached Grand County, Utah

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Falcon Energy, LLC is considered to be the operator of the attached list of wells and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UT1049 (Principal - Falcon Energy, LLC) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable <u>until</u> the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

Falcon Energy, LLC is already recognized as the operator of wells 9-3, 9-5 and 9-6 on lease UTU42223.

Falcon is already recognized as the operator of well 9-1, which is located on lease UTU75536; not UTU44440 as referenced on the attached list. Lease UTU75536 was created effective August 1, 1996, by segregation out of lease UTU44440, and is held by Great West Natural Gas of Grand Junction, Colorado.

Pursuant to a conversation between representatives of Falcon Energy, LLC and BLM, Falcon also assumes operations of well M6-130 on lease UTU58207.

The transfer of all rights-of-way will be addressed seperately, and are not included in this approval.

Lease #	Well Name	API Well #	Oil/Gas	Ownership
UTU-58207	Robin G 24-4 Robin G 24-1 MLD-1 30 Sec. 24.	430193126100S01 430193125500S01 4301931346 T. 205. 2. 23 E.	Oil Gas	100% 100%
Wells on leases held	by other companies:			
75536 UTU- 44440 *	TXO Springs 9-1 Sec. 9. T.	430193071300S01 203., R. 23 E.	Gas	75%
UTU-042223*	Inland Fuels 9-6	430193114200S01	Gas	50%
•••·	Inland Fuels 9-5	430193108500S01	Gas	50%
	Cisco SS 9-3 Scc. 9	430193104800S01 . T. 265., 2. 23E	Gas	70%
UTU-6791**	Mustang 3-1 Sec 3.7	430193112800S01 - 202., R. 23 E.	Oil/Gas	90%

^{*} Lessee of Record - Ambra Oil & Gas

^{**} Lessee of Record - Amoco

Listing of wells by lease, well name, API number, and percentage of well ownership by Saturn Resources and Ray Lynn Dempsey as reflected in Grand County Court, Utah, records.

Lease #		Well Name	API Well #	Oil/Gas	<u>Ownership</u>
Ownership -	Ray Ly	nn Dempsey			
√JUTU-012362-	В	Chase Grossman #1 Sec. 31. T. 195		Gas	100 %
Ownership -	Saturn		., , , , , , , , , , , , , , , , , , ,		
UTU-30956	Sec. 9	MPD 9-2	430193121600S01	Oil	100%
	506.9	MPD 9-2B	430193128100S01	Gas	100 %
	5ec.10	MPD 10-2C T. 215. R. 23E.	430193127600S01	Gas	70 %
UTU-30956A		Cisco Fed #1 Sec. 10, T.215, 2. 6	430193047500S01 23E	Oil	100 %
. UTU-6355-B			430193011500S01	Gas	100%
		Fed 1-355-A	430193126500S01	Gas	100%
	•	Fed 3-355 Sec. 9. T. 205. R	430193012300S01	Gas	100%
UTU-011879-	A	Swanson Fed 31-72 Sec. 31. T. 205.	430191577100S01 R. 44 E	Gas	100%
UTU-27403		Fed 30-88X	430193000600S01	Gas	100%
		Martha #4	430193121200S01	Gas	100%
		Martha #1 Sec. 30, 7, 205.	430193102400S01 สิอ4 E.	Gas	100%
UTU-148172		MPD 15-2. Sec. 15, T. 215	430193127700S01 2. 23 E.	Oil/Gas	100%
UTU-17245-A		Fed Cisco #3	430193040400S01	Gas	100%
,		Fed Cisco #1 342. 27, 7.2	430193045600S01 os., R. 23 E.	Oil/Gas	100%
UTU-7623	Sec. 24	Fed 24-1	430193051000S01	Gas	100%
	Sec. 8	Thompson Fed #8	430193014800S01	Gas	100%
		Jacobs Fed 1-25	430193048600S01	Oil	80%
	Sec. 13	Thompson 2-A	430193118200S01	Gas	100%
	Sec. 13	Len 13-3 %	430193121700S01	Oil	100%
	Sa 24		430193117900S01	Gas	97%
	Sec. 24	Len 24-4 T. 205. R. 23E	430193122300S01	Gas	97%
入UTU-17309		W.K. #1	430193026600S01	Oil	100%
		W.K. #2	430193027000S01	Gas	100%
1			430193026700S01	Oil	100%
		W.K 1-13	430193042000S01	Oil	100%
		1-14	430193029900S01	Oil	100%
		CP 1-5	430193067400S01	Gas	100%
		CP 1-4 -	430193067100S01	Oil	100%
		Sec. 1, T. 215.			•

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

1. GLH 4-KAS 2. CDW 5-310 6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, ef	fective: 11-29-2000
FROM: (Old Operator):	TO: (New Operator):
SATURN RESOURCES CORPORATION	FALCON ENERGY LLC
Address: P. O. BOX 372	Address: 55 SOUTH HIGHWAY 89
SPRINGBORO, OH 45066	NORTH SALT LAKE, UT 84054
Phone: 1-(937)-438-3243	Phone: 1-(801)-936-2222
Account N1090	Account N6710
CA No.	Unit:

WELL(S)

	API	ENTITY	SEC. TWN	LEASE	WELL	WELL
NAME	NO.	NO.	RNG	TYPE	TYPE	STATUS
MUSTANG 3-1	43-019-31128	9860	03-20S-23E	FEDERAL	GW	P
FEDERAL 3-037	43-019-30992	13039	03-20S-23E	FEDERAL	OW	P
CISCO SPRINGS 24-3	43-019-31179	571	24-20S-23E	FEDERAL	GW	S
LEN 24-4	43-019-31223	573	24-20S-23E	FEDERAL	GW	S
ROBIN G 24-1	43-019-31255	10837	24-20S-23E	FEDERAL	GW	P
ROBIN G 24-4	43-019-31261	10963	24-20S-23E	FEDERAL	GW	S
ROBERT S WEST WK 1	43-019-30266	566	01-21S-23E	FEDERAL	OW	S
WK 2	43-019-30270	566	01-21S-23E	FEDERAL	GW	S
WK 3	43-019-30267	566	01-21S-23E	FEDERAL	OW	S
WK 1-13	43-019-30420	566	01-21S-23E	FEDERAL	ow	S
W-KOLMAN FEDERAL 1-14	43-019-30299	566	01-21S-23E	FEDERAL	OW	S
CP 1-4	43-019-30671	566	01-21S-23E	FEDERAL	OW	P
CP 1-5	43-019-30674	566	01-21S-23E	FEDERAL	GW	S
CISCO FEDERAL 1	43-019-30475	8171	10-21S-23E	FEDERAL	GW	S
			ļ			ļ
				<u> </u>		ļ <u></u> .
					<u> </u>	ļ
					ļ	
				I]

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 02/

02/08/2001

2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on:

02/08/2001

3. The new company has been checked through the Department of Commerce, Division of Corporations Database on:

03/12/2001

4.	Is the new operator registered in the State of Utah: YES Business Number: 2022926-0160
5.	If NO, the operator was contacted contacted on:
6.	Federal and Indian Lease Wells: The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 12/06/2000
7.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
8.	Federal and Indian Communization Agreements ("CA"): The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9.	Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:
$\overline{\mathbf{D}}$	ATA ENTRY:
1.	Changes entered in the Oil and Gas Database on: 03/13/2001
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 03/13/2001
3.	Bond information entered in RBDMS on: N/A
4.	Fee wells attached to bond in RBDMS on: N/A
S	ATE BOND VERIFICATION:
1.	State well(s) covered by Bond No.: N/A
FI	E WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:
1.	(R649-3-1) The NEW operator of any fee well(s) listed has furnished a bond: N/A
2.	The FORMER operator has requested a release of liability from their bond on: N/A The Division sent response by letter on: N/A
3.	(R649-2-10) The FORMER operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A
	LMING: All attachments to this form have been MICROFILMED on: APR. 25 2001
	LING: ORIGINALS/COPIES of all attachments pertaining to each individual well have been filled in each well file on:
CO	MMENTS:


Lease #: UTU 17309

Entity #: 366

WK 2 SW SE 330' fsl & 2317' fel Sec 1 T21S R23E Elevation: 4476' GL 43-019-30270

Spud: March 3, 1976

Complete: March 15, 1976



1042' of 4 $\frac{1}{2}$ " (9.5#); 50 sacks of cement

Zone: J Morrison-Brushy Basin

IP: 401 mcfd Total Oil: 0 bbl

Total Gas: 9281 mcf Total Water: 0 bbl

GOR:

API/Gravity:

Open HoleCompletion (3 7/8" hole): (Jmbb 1) 1042'- 1296' GL; No stimulation

Original TD: 1059' GL Original PBTD: 1042' GL Deepened TD: 1296' GL

STATE OF UTAH				FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING				5. LEA	SE DESIGNATION AND SERIAL NUMBER:	
SUNDRY NOTICES AND REPORTS ON WELLS					6. IF IN	IDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill n drill horizontal la	ew wells, significantly deepen aterals. Use APPLICATION Fo	existing wells below current OR PERMIT TO DRILL form	t bottom-hole dep	th, reenter plugged wells, or to	7. UNI	For CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL	GAS WELL	OTHER Ch	ange of O	perator	8. WEL	L NAME and NUMBER:
2. NAME OF OPERATOR: Running Foxes Petroleum	, Inc.	N2195			9. API	NUMBER:
3. ADDRESS OF OPERATOR: 7060 B South Tucson	_Y Centennial	STATE CO ZIP 80	0112	PHONE NUMBER: (720) 377-0923	10. FIE	ELD AND POOL, OR WILDCAT:
LOCATION OF WELL FOOTAGES AT SURFACE:					COUNT	y: Grand
QTR/QTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN:				STATE	UTAH
11. CHECK APPR	ROPRIATE BOXE	S TO INDICATE	NATURE	OF NOTICE, REPO	PRT, O	R OTHER DATA
TYPE OF SUBMISSION				YPE OF ACTION		
✓ NOTICE OF INTENT	ACIDIZE		DEEPEN			REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING		FRACTURE	TREAT		SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	· [NEW CONS	STRUCTION		TEMPORARILY ABANDON
May 15, 2006	CHANGE TO PREVI	OUS PLANS	OPERATOR	R CHANGE		TUBING REPAIR
	CHANGE TUBING		PLUG AND	ABANDON		VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAM	ME .	PLUG BACH	<		WATER DISPOSAL
Date of work completion:	CHANGE WELL STA	ATUS	PRODUCTION	ON (START/RESUME)		WATER SHUT-OFF
Date of Work completion,	COMMINGLE PROD	UCING FORMATIONS	RECLAMAT	ION OF WELL SITE		OTHER:
	CONVERT WELL TY	PE [RECOMPLE	ETE - DIFFERENT FORMATION		
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATION	S. Clearly show all pert	inent details in	cluding dates, depths, volun	nes, etc.	
	ist. The BLM issu ederal Land and a	ed bond number Il operations have	is UTB-000 e been dee	0207 and the bond one of the second of the second and the second end of the second e	was ac	to Running Foxes Petroleum, cepted on May 15, 2006. All spoint. If there are any
NAME (PLEASE PRINT) Neil D. Sh	arp		TITL	_E Geologist		
SIGNATURE	J. Sharp		DAT	E 05/23	106	,

(This space for State use only)

APPROVED 12114 12006

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

MAY 3 1 2006

RECEIVED

DIV. OF OIL, GAS & MINING

Form 3160-5 (February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR BURGALLOF LAND MANAGEMENT

FORM APPROVED
OM B No. 1004-0137
Expires: March 31, 2007

CUNDDV	1	5. Lease Serial No. UTU 17309			
Do not use th	NOTICES AND REPORTS is form for proposals to drill ell. Use Form 3160-3 (APD) fo	or to re-enter an		Allottee or Tribe Name	
SUBMIT IN TR	IPLICATE- Other instruction	s on reverse side.	7. If Unit or	CA/Agreement, Name and/or No.	
1. Type of Well Oil Well	Gas Well Other		8. Well Nam	ne and No.	
2. Name of Operator RUNNING F	OXES PETROLEUM, INC.	~	9. API We	1K-Z	
3a. Address 7060 B SO. TUCSON WAY		ne No. (include area code) 617-7242	43019	- 30270	
4. Location of Well (Footage, Sec.,		717-7242		Pool, or Exploratory Area SPRINGS	
SW SE SEC. 1				or Parish, State COUNTY, UTAH	
12. CHECK AI	PPROPRIATE BOX(ES) TO INDICA	TE NATURE OF NOTICE	, REPORT, OR	OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION	Ĭ		
Notice of Intent		ure Treat Reclamatio		Water Shut-Off Well Integrity	
Subsequent Report		Construction Recompleted Recom	e ty Abandon	Other CHANGE OF OPERATOR	
Final Abandonment Notice	Convert to Injection Plug I		-		
testing has been completed. Find determined that the site is ready RUNNING FOXES PETF RUNNING FOXES PETF OPERATIONS CONDUCTIONS	ROLEUM, INC. IS TAKING OVER OF ROLEUM, INC. IS RESPONSIBLE UN TED ON THE LEASED LANDS OR F R THIS WELL SILL BE PROVIDED B	after all requirements, including r PERATIONS OF THE ABOV IDER THE TERMS AND CO PORTIONS THEREOF.	eclamation, have bee	n completed, and the operator has WELL(S).	
14. I hereby certify that the fore Name (Printed/Typed)	going is true and correct	1			
GREG SIMON	5	Title V.P. OPERATIO	ONS	_	
Signature .	2	Date	05/30/2006		
	THIS SPACE FOR FEDER	RAL OR STATE OFF	ICE USE		
certify that the applicant holds lega which would entitle the applicant to Title 18 U.S.C. Section 1001 and Title	e 43 U.S.C. Section 1212, make it a crime fo	office Office or any person knowingly and wil	Úffice	department or agency of the United	
States any false, fictitious or fraudu	lent statements or representations as to any r	matter within its jurisdiction.	,	,	

(Instructions on page 2)

Running Foxes Petroleum, Inc. Well Nos. CP 1-4, CP 1-5, 1, WK 1-13, WK 2, WK 3, 1-14 Section 1, T21S, R23E Lease UTU17309 Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Running Foxes Petroleum, Inc. is considered to be the operator of the above wells effective May 15, 2006, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000207 (Principal – Running Foxes Petroleum, Inc.) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable <u>until</u> the provisions of 43CFR 3106.7-2 continuing responsibility are met.

STATE OF UTAH

	FORM 9		
I	5. LEASE DESIGNATION AND SERIAL NUMBER:		
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill no drill horizontal la	ew wells, significantly deepen existing wells below currer terals. Use APPLICATION FOR PERMIT TO DRILL for	int bottom-hole depth, reenter plugged wells, or to m for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL	GAS WELL OTHER C	hange of Operator	8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:	···		9. API NUMBER:
Falcon Energy LLC 3. ADDRESS OF OPERATOR:		PHONE NUMBER:	40. FIFLD AND DOOL OR MILDOAT:
	Fruita STATE CO ZIP 8	31521 (970) 234-8095	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL	STATE ZIP	1 1	
FOOTAGES AT SURFACE:			COUNTY: Grand
QTR/QTR, SECTION, TOWNSHIP, RANG	GE, MERIDIAN:		STATE: UTAH
11. CHECK APPF	ROPRIATE BOXES TO INDICATE	E NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
5/15/2006	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
·	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
This is to inform the State Inc. for the attached well li wells and leases are on Fe		e of operator from Falcon Energ r is UTB-000207 and the bond v ve been deemed as satisfactory	y LLC to Running Foxes Petroleum vas accepted on May 15, 2006. All at this point. If there are any
,		•	
1./	Le STALT	In A.	1.00
NAME (PLEASE PRINT) WAY	ne Staut	TITLE Marayer	

11-14-06

(This space for State use only)

SIGNATURE

(5/2000)

11.

 \square

Division of Oil, Gas and Mining Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

RECEIVED DEC 07 2006

DIV. OF OIL, GAS & MINING

FALCON ENERGY LLC (N6710) TO RUNNING FOXES PETROLEUM, INC (N2195)

well_name	sec	twp	rng	api	entity	lease	well	stat	qtr_qtr	I num	op no
CHASE GROSSMAN 1	31			4301915014		Federal		S	SENE	UTU-012362B	N6710
SWANSON FEDERAL UTI 31-72		200S		4301915771		Federal			NENE	UTU-011879A	N6710
FEDERAL 30-88X	30	200S	L	4301930006		Federal		S	SESE	UTU-027403	N6710
FEDERAL 1-355	09	200S		4301930115		Federal		P	SENE	UTU-6355B	N6710
FEDERAL 3-355	09	200S		4301930123	and the second second second second	Federal			NENE	UTU-6355B	N6710
THOMAS FED 8	13	·		4301930148		Federal	<u> </u>		NESE	UTU-7623	N6710
ROBERT S WEST WK 1	01			4301930266		Federal		Р	SWSW	UTU-17309	N6710
WK 3	01	American series of the series of the	from the comment of the same of	4301930267	A RESIDENCE OF THE PROPERTY OF THE PARTY OF	Federal	J	S	SWNW	UTU-17309	N6710
WK 2	01			4301930270	ALCOHOL SERVICE TO A PART OF THE RESERVE AND A PART OF THE SERVICE TO	Federal		S	SWSE	UTU-17309	N6710
W-KOLMAN FED 1-14	01		k	4301930299		Federal			SWNE	UTU-17309	N6710
JACOBS 1	13	I		4301930378		Federal		P	SWSW	UTU-7945	N6710
CISCO 3	27			4301930404	CONTRACTOR OF THE PARTY OF THE	Federal			NENW	UTU-17245A	N6710
WK 1-13	01			4301930420		Federal			SESW	UTU-17309	N6710
FED CISCO 1	27			4301930456		Federal		S	SENE	UTU-17245A	N6710
FEDERAL LANSDALE 3	29			4301930458		Federal		Р	SWNE	UTU-7218	N6710
CISCO FEDERAL 1	10	Commence of the statement	Section to deliver of court and assessment on	4301930475		Federal			SWSE	UTU-30956A	N6710
JACOBS FED 1-25	25			4301930475		Federal			SENW	UTU-7623	N6710
FEDERAL 24-1	24			4301930510		Federal			SESW	UTU-7623	N6710
PETRO FED 15-3	15	210S		4301930523				S S	SENE	UTU-75141	N6710
PETRO 15-5-80A	15	210S				Federal Federal			NWNE		
CP 1-4				4301930611			1			UTU-75141	N6710 N6710
	01	I		4301930671		Federal		4 .	SESW	UTU-17309	
CP 1-5	01	L		4301930674		Federal			SESW	UTU-17309	N6710
FEDERAL 2-037	03			4301930864		Federal			SESW	UTU-19037	N6710
KATHY 1	24			4301930906		Federal			NWSE	UTU-15049	N6710
HOPE 2	24	200S		4301930907		Federal			NWNE	UTU-17610	N6710
NICOL 1	24	200S		4301930908		Federal			SWSE	UTU-75894	N6710
HOPE 4	24			4301930909		Federal			NENE	UTU-17610	N6710
FEDERAL 3-037	03			4301930992		Federal			SESW	UTU-19037	N6710
FED PIONEER 2A	13			4301930993		Federal			SESW		
FEDERAL 7-037	03	200S		4301931015		Federal			SWSE	UTU-19037	N6710
MARTHA 1	30	200S		4301931024		Federal		S	NWNW	UTU-027403	N6710
CISCO SS 15-8	15		L	4301931052		Federal		1	NWSE	UTU-64270	N6710
CISCO SPRINGS B 1	15			4301931065		Federal			NESE	UTU-62845	N6710
CISCO SPRINGS A 1	09			4301931076		Federal			NWNE	UTU-62845	N6710
CISCO SPRINGS B 2	15			4301931115		Federal			NESE	UTU-62845	N6710
MUSTANG 3-1	03			4301931128		Federal				UTU-6791	N6710
CISCO SPRINGS 24-3	24			4301931179		Federal		- CYN - YN 4Y CYY	NESW	UTU-7623	N6710
THOMAS 2A	13			4301931182		Federal			SWSE	UTU-7623	N6710
MARTHA 4	30			4301931212		Federal			SWNW	UTU-027403	N6710
M P D 9-2	09			4301931216		Federal	4		NESE	UTU-30956	N6710
LEN 13-3	13			4301931217		Federal			SESE	UTU-7623	N6710
LEN 24-4	24		THE RESERVE THE PROPERTY AND ADDRESS OF THE	4301931223		Federal			NWSW	UTU-7623	N6710
ROBIN G NO 24-1	24	ļ		4301931255		Federal			SENW	UTU-58207	N6710
ROBIN G 24-4	24			4301931261		Federal			SENW	UTU-58207	N6710
FEDERAL 1-355A	09	l		4301931265		Federal			SENE	UTU-6355B	N6710
MPD 10-2C	10			4301931276		Federal			NWSW	UTU-30956	N6710
MPD 15-2	15			4301931277		Federal			SENW	UTU-0148172	N6710
MPD 9-2B	09	A CONTRACTOR OF THE PARTY OF TH		4301931281		Federal			NWSE	UTU-30956	N6710
M6-130	24			4301931346		Federal			SENW	UTU-58207	N6710
POWELSON 1	24			4301931374		Federal			SESE	UTU-75984	N6710
STOUT 2	24	+		4301931375		Federal			NESE	UTU-75984	N6710
ROBERTS 1	24	200S	230E	4301931376	12895	Federal	GW	P	SESE	UTU-75894	N6710

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:	5/15/2006
FROM: (Old Operator):	TO: (New Operator):
N6710-Falcon Energy, LLC	N2195-Running Foxes Petroleum, Inc.
1137 19 Rd	7060 B S. Tucson
Fruita, CO 81521-9678	Centennial, CO 80112
Phone: 1 (970) 858-8252	Phone: 1 (720) 377-0923
CA No.	Unit:
OPERATOR CHANGES DOCUMENTATION	
Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the	FORMER operator on: 12/7/2006
2. (R649-8-10) Sundry or legal documentation was received from the	<u></u>
	· · · · · · · · · · · · · · · · · · ·
3. The new company was checked on the Department of Commerce	-
	Business Number: 6097088-0143
	equested 12/18/06
6b. Inspections of LA PA state/fee well sites complete on:	n/a
6c. Reports current for Production/Disposition & Sundries on:	
7. Federal and Indian Lease Wells: The BLM and or the B	BIA has approved the merger, name change,
or operator change for all wells listed on Federal or Indian leases of	n: <u>BLM</u> 6/19/2006 <u>BIA</u>
8. Federal and Indian Units:	
The BLM or BIA has approved the successor of unit operator for	r wells listed on: n/a
9. Federal and Indian Communization Agreements ("	CA"):
The BLM or BIA has approved the operator for all wells listed w	rithin a CA on: n/a
10. Underground Injection Control ("UIC") The Di	vision has approved UIC Form 5, Transfer of Authority to
Inject, for the enhanced/secondary recovery unit/project for the wa	ater disposal well(s) listed on: n/a
DATA ENTRY:	
1. Changes entered in the Oil and Gas Database on:	12/14/2006
2. Changes have been entered on the Monthly Operator Change Sp	read Sheet on: 12/14/2006
3. Bond information entered in RBDMS on:	n/a
4. Fee/State wells attached to bond in RBDMS on:	n/a
5. Injection Projects to new operator in RBDMS on:	n/a
6. Receipt of Acceptance of Drilling Procedures for APD/New on:	n/a
BOND VERIFICATION:	
1. Federal well(s) covered by Bond Number:	UTB000207
2. Indian well(s) covered by Bond Number:	n/a
3. (R649-3-1) The NEW operator of any fee well(s) listed covered by	Bond Number n/a
a. The FORMER operator has requested a release of liability from the	eir bond on: n/a
The Division sent response by letter on:	n/a
LEASE INTEREST OWNER NOTIFICATION:	
4. (R649-2-10) The FORMER operator of the fee wells has been cont	acted and informed by a letter from the Division
of their responsibility to notify all interest owners of this change on	
COMMENTS:	
Two wells remain in dispute regarding leases and were not moved - 430	01930713 TXO Springs 9-1 and 4301931284 FZ 22-3

Form 3160-5 (February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

BUREAU OF LAND MANAGEMENT	5. Lease Serial No. UTU 17309
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.	6. If Indian, Allottee or Tribe Name
SUBMIT IN TRIPLICATE- Other instructions on reverse side	7. If Unit or CA/Agreement, Name and/or No.
1. Type of Well ☐ Other ☐ Other	8. Well Name and No. WK 2
2. Name of Operator Running Foxes Petroleum	9. API Well No.
3a Address 7060 B South Tucson Way Centennial, CO 80112 3b. Phone No. (include area code 720-889-0510	43-019-302-70-00-00 10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	Greater Cisco
330' fsl & 2317' fel SW SE S1 T21S R23E	11. County or Parish, State Grand County, Utah
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF N	OTICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF A	CTION
Notice of Intent Alter Casing Fracture Treat Rec Casing Repair Change Plans Plug and Abandon Ten	oduction (Start/Resume)
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/ following completion of the involved operations. If the operation results in a multiple completion or retesting has been completed. Final Abandonment Notices must be filed only after all requirements, includermined that the site is ready for final inspection.) This sundry notice is to inform the BLM that Running Foxes Petroleum intends to plug Petroleum intends to fill the open hole portion of the well, production annulus, & surfactional surface casing (7", 23#) was set at 150 GL & production casing (4.5", 9.5#) was run to Running Foxes Petroleum w/a 3 7/8" bit. This well was completed open hole from 1042 completion of cementing a standard P&A marker will be erected w/all pertinent well in action necessary please inform Running Foxes Petroleum upon approval of this plugging Pechalol Share S (23/08 - Elli (55-09) and 10-10-10-10-10-10-10-10-10-10-10-10-10-1	g & abandon the aforementioned well. Running Foxes ce annulus with cement from total depth to the surface. 1042' GL. This well was deepend to 1296' GL by 2'-1296' GL, but was deemed uneconomic. Upon formation welded onto it. If the BLM CEPHS GRENT OPERATOR and abandoning.
	Initials: 145
CC: UT DOGM Oil, Gas and Mining Date: 5/23/08	Federal Approval Of This Action Is Necessary
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)	
Neil D. Sharp Title Geologist	
Signature Date 04	129/08
THIS SPACE FOR FEDERAL OR STATE	OFFICE USE
Approved by Title Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly states any false, fictitious or fraudulent statements or representations as to any matter within its jurisdict	and willfully to make to any denoting Oracles of the United tion.
	2000

(Instructions on page 2)

MAY 0 6 2008

DIV. OF OIL, GAS & MINING

Form 3160-5 (February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

BUREAU OF LAND MANAGEMENT

FORM APPROVED OM B No. 1004-0137 Expires: March 31, 2007

5.	Lease Serial No.	
	HTTI 17200	

ז חעווטכ	MOLICES WIND WE	PURIS UN WE	LLO	0101.5	<u> </u>
Do not use ti abandoned w	6. If Indian, Allottee or Tribe Name				
SUBMIT IN TR	7. If Unit or CA/Agreement, Name and/or No.				
1. Type of Well Oil Well	8. Well Name and No.				
2. Name of Operator Running For	xes Petroleum			9. API Well	No
3a. Address	Centennial, CO 80112	e area code)	43-019-302-70-00-00 10. Field and Pool, or Exploratory Area		
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Description)	<u> </u>	Greater Cisco		
330' fsl & 2317' fel SW SE S1 T21S R23E	11. County or Parish, State Grand County, Utah				
12. CHECK A	PPROPRIATE BOX(ES) TO	INDICATE NATU	RE OF NOTICE,	REPORT, OR	OTHER DATA
TYPE OF SUBMISSION		TY	PE OF ACTION		
Attach the Bond under which the following completion of the intesting has been completed. Find determined that the site is ready This sundry notice is to in Running Foxes Petroleum used to fill the production all pertinent well informatical complete in the sundry notice is to in Running Foxes Petroleum used to fill the production all pertinent well informatical complete in the sundry notice is to in Running Foxes Petroleum used to fill the production all pertinent well informatical controls.	ectionally or recomplete horizontall the work will be performed or provivolved operations. If the operation and Abandonment Notices must be y for final inspection.) If on the BLM that Running I a contracted RACS, LLC to pe and surface casing of this well tion, was welded on and buriefuring & reseeding, Running Forms.	ly, give subsurface location the Bond No. on file the Bond No. on file the subsurface and the subsurface filed only after all require forces Petroleum has perform the plugging and from TD to surface. d. Running Foxes Pet	ns and measured and t with BLM/BIA. Requiletion or recompletion ements, including reclain lugged & abandone d abandoning. A to The casing was cut roleum will reconto	Abandon any proposed worl rue vertical depths ired subsequent rep in a new interval, mation, have been ad the aforement otal of 85 sacks of off 3 ft. from su ur & reseed the	of all pertinent markers and zones, orts must be filed within 30 days a Form 3160-4 must be filed once completed, and the operator has ioned well on 9/9/2008. If Class G cement (14.8#) was rface and a metal plate, with
14. I hereby certify that the fore Name (Printed/Typed) Neil D. Sharp Signature	going is true and correct	,	eologist	10/30/2008	
10e/1/	THIS SPACE FOR	Date Date			
	THE TABLETON	LDEIML OK 3	IAIE OFFICE	- 532	
Approved by			itle	Da	te
Conditions of approval, if any, are a certify that the applicant holds legal which would entitle the applicant to	I or equitable title to those rights in	. 4 1 1	office		
Title 18 U.S.C. Section 1001 and Title	e 43 U.S.C. Section 1212, make it a	crime for any person ki	nowingly and willfully	to make to any o	lepur de la gence de la la la la la la la la la la la la la

RACS, LLC

26767 Cedar Mesa Rd., Cedaredge, CO 81413

(970) 856-2505

WELL ABANDONMENT REPORT

Well Number WK2 (API# 43-019-302-70-00-00) Well Location (township & range) 330" fst & 2,317" fel SW SE Sec 1 T21S R23E (Lat / Long) (NAD 27) N39 00 08.9 W109 19 15.1 County Grand State Utah Elevation 4,476" Existing Well Details Is a well drillers report available? Yes Voo Nature of use & current status Gas Well / Shut-In Hole Depth 1,042" Feet Hole Diameter Surface Casing type / Wt. Steel T&C Size Depth 150" Intermediate Casing Type / Wt. Steel T&C Size Depth From +22" To Completion Blank Casing Type / Wt Steel T&C 9.5# Size Depth From +22" To Completion Perf casing Type / Wt 7 Size Depth From To Static Fluid Level Depth N/A Feet - Artesian Flow None GPM - Shut-In Pressure Notes Abandonment Details Reason for Abandonment No longer producing Bridge Plug type None TD of well or Bridge Plug Depth 1.066" Feet Total fluid volume of well from TD or Bridge Plug 743 Gallons Method of sealing material placement Through 2" Coil Tubing Casing cut to 3" Ft. below surface P&A Marker type 3/8" Steel flat plate Date of Abandonment Completion 9-9-08 Depth (Feet) Quantity Density From To Material Used Gal. / Sks Lbs./Gal. 1,069" Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 798 / 80 14.8 Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surfa Shut down for the weekend. Cut casing(s) down 3" & welded on P&A marker on 9-9-08.	Date _	9-30-2008	_								
Well Number WK 2 (AP## 43-019-302-70-00-00) Well Location (township & range) 330 fsl & 2,317' fel SW SE Sec 1 T21S R23E (Lat / Long) (NAD 27) N39 00 08.9 W109 19 15.1 County Grand State Utah Elevation 4.476' Existing Well Details Is a well drillers report available? Yes Vo Nature of use & current status Gas Well / Shut-In Hole Depth 1.042' Feet Hole Diameter Inches Surface Casing type / Wt. Steel T&C / Size Depth Completion Blank Casing Type / Wt. Steel T&C / Size Depth From +2' To Completion Perf casing Type / Wt	Well I	dentificatio	o n								
Well Location (township & range) 330' fel & 2,317' fel SW SE Sec 1 T21S R23E (Lat / Long) (NAD 27) N99 00 9.9 W109 19 15.1 County Grand State Utah Elevation 4,476' Existing Well Details Is a well drillers report available? Yes No Nature of use & current status Gas Well / Shut-in Hole Depth 1,042 Feet Hole Diameter Inches Surface Casing type / Wt. Steel T&C Size T' Depth 150' Intermediate Casing Type / Wt. Steel T&C Size Depth Completion Blank Casing Type / Wt Steel T&C / Size Depth Prom +22 To Completion Perf casing Type / Wt Steel T&C / Size Depth From +22 To Completion Perf casing Type / Wt Size Static Fluid Level Depth NA Feet - Artesian Flow None GPM - Shut-In Pressure Notes Abandonment Details Reason for Abandonment No longer producing Bridge Plug type None TD of well or Bridge Plug Depth 1,069' Feet Total fluid volume of well from TD or Bridge Plug 743 Gallons Method of sealing material placement Through 2" Coll Tubing Casing cut to 3" Ft. below surface P&A Marker type 3/8" Steel flat plate Date of Abandonment Completion 9-9-08 Depth (Feet) Quantity Density From TO Material Used Gal. / Sks Lbs./Gal. 1,069' Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 798 / 80 14.8 Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50" & back to surfa Shut down for the weekend. Cut casing(s) down 3" & welded on P&A marker on 9-9-08.											
Clat / Long (NAD 27) N39 00 08.9 W109 19 15.1		Well Num	The second of th								
Clat / Long (NAD 27) N39 00 08.9 W109 19 15.1											
County Grand State Utah Elevation 4,476' Existing Well Details Is a well drillers report available? Yes No Nature of use & current status Gas Well / Shut-in Hole Depth 1,042' Feet Hole Diameter Inches Surface Casing type / Wt. Steel T&C / Size 7" Depth 150' Intermediate Casing Type / Wt. Steel T&C / 9.5# Size 4.5" Depth From +2' To Completion Blank Casing Type / Wt Steel T&C / 9.5# Size 4.5" Depth From +2' To Completion Perf casing Type / Wt Steel T&C / 9.5# Size 4.5" Depth From To Static Fluid Level Depth NA Feet - Artesian Flow None GPM - Shut-In Pressure Notes Abandonment Details Reason for Abandonment No longer producing Bridge Plug type None TD of well or Bridge Plug Depth 1.069' Feet Total fluid volume of well from TD or Bridge Plug 743 Gallons Method of sealing material placement Through 2" Coil Tubing Casing cut to 3' Ft. below surface P&A Marker type 3/8" Steel flat plate Date of Abandonment Completion 9-9-08 Depth (Feet) Quantity Density From To Material Used Gal. / Sks Lbs./Gal. 1,069' Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 798 / 80 14.8 Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surfa Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.			, .		· · · · · · · · · · · · · · · · · · ·						
Statisting Well Details Saw Well / Shut-in Shut-in					Utah	Elevation	4,476'				
Is a well drillers report available? Yes Volve Nature of use & current status Gas well / Shut-in Hole Depth 1,042' Feet Hole Diameter Inches Surface Casing type / Wt. Steel T&C / Size 7' Depth 150' Intermediate Casing Type / Wt. Steel T&C / Size Depth Completion Blank Casing Type / Wt Steel T&C / Size Depth From +2' To Completion Perf casing Type / Wt Steel T&C / 9.5# Size Depth From To Static Fluid Level Depth NA Feet - Artesian Flow None GPM - Shut-In Pressure Notes Abandonment Details Reason for Abandonment No longer producing Bridge Plug type None TD of well or Bridge Plug Depth 1,069' Feet Total fluid volume of well from TD or Bridge Plug 743 Gallons Method of sealing material placement Through 2" Coil Tubing Casing cut to 3' Ft. below surface P&A Marker type 3/8" Steel flat plate Date of Abandonment Completion 9-9-08 Depth (Feet) Quantity Density From To Material Used Gal. / Sks Lbs./Gal. 1,069' Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 50 / 5 14.8 Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.	Existi				·						
Nature of use & current status Gas Well / Shut-in Hole Depth 1.042 Feet Hole Diameter Inches Surface Casing type / Wt. Steel T&C / Size Depth Completion Blank Casing Type / Wt. / Size Depth Completion Blank Casing Type / Wt Steel T&C / Size Depth From +2' To Completion Perf casing Type / Wt Steel T&C / 9.5# Size 4.5" Depth From +2' To Completion Perf casing Type / Wt Size Depth From To Static Fluid Level Depth N/A Feet - Artesian Flow None GPM - Shut-In Pressure Notes Abandonment Details Reason for Abandonment No longer producing Bridge Plug type None TD of well or Bridge Plug Depth 1.069' Feet Total fluid volume of well from TD or Bridge Plug 743 Gallons Method of sealing material placement Through 2" Coli Tubing Casing cut to 3' Ft. below surface P&A Marker type 3/8" Steel flat plate Date of Abandonment Completion 9-9-08 Depth (Feet) Quantity Density From To Material Used Gal. / Sks Lbs./Gal. 1,069' Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 50 / 5 14.8 Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surfs Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.		_		ilable? Yes	✓ No						
Hole Depth 1.042' Feet Hole Diameter Inches Surface Casing type / Wt. Steel T&C / Size 7" Depth 150' Intermediate Casing Type / Wt. / Size Depth Completion Blank Casing Type / Wt Steel T&C / Size Depth From +2' To Completion Perf casing Type / Wt / Size Depth From To Static Fluid Level Depth N/A Feet - Artesian Flow None GPM - Shut-In Pressure Notes Abandonment Details Reason for Abandonment No longer producing Bridge Plug type None TD of well or Bridge Plug Depth 1.069' Feet Total fluid volume of well from TD or Bridge Plug 743 Gallons Total volume of fluid used 348 Gallons Method of sealing material placement Through 2" Casing cut to 3' Ft. below surface P&A Marker type 3/8" Steel flat plate Date of Abandonment Completion 9-9-08 Depth (Feet) Quantity Density From To Material Used Gal. / Sks Lbs./Gal. 1,069' Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 798 / 80 14.8 Notes MIRU on 9-5-08, run in welf with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.											
Surface Casing type / Wt. Steel T&C / Size 7" Depth 150' Intermediate Casing Type / Wt. / Size Depth Completion Blank Casing Type / Wt Steel T&C / 9.5# Size						3	•				
Completion Perf casing Type / Wt / Size Depth From To Static Fluid Level Depth N/A Feet - Artesian Flow None GPM - Shut-In Pressure Notes Abandonment Details Reason for Abandonment No longer producing Bridge Plug type None TD of well or Bridge Plug Depth 1.069' Feet Total fluid volume of well from TD or Bridge Plug 743 Gallons Total volume of fluid used 848 Gallons Method of sealing material placement Through 2" Coil Tubing Casing cut to 3' Ft. below surface P&A Marker type 3/8" Steel flat plate Date of Abandonment Completion 9-9-08 Depth (Feet) Quantity Density From To Material Used Gal. / Sks Lbs./Gal. 1,069' Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 50 / 5 14.8 Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.		Surface Ca	sing type / Wt	Steel T&C /	Size	, 7" Dent	h 150'				
Completion Perf casing Type / Wt / Size Depth From To Static Fluid Level Depth N/A Feet - Artesian Flow None GPM - Shut-In Pressure Notes Abandonment Details Reason for Abandonment No longer producing Bridge Plug type None TD of well or Bridge Plug Depth 1.069' Feet Total fluid volume of well from TD or Bridge Plug 743 Gallons Total volume of fluid used 848 Gallons Method of sealing material placement Through 2" Coil Tubing Casing cut to 3' Ft. below surface P&A Marker type 3/8" Steel flat plate Date of Abandonment Completion 9-9-08 Depth (Feet) Quantity Density From To Material Used Gal. / Sks Lbs./Gal. 1,069' Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 50 / 5 14.8 Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.		Intermedia	ite Casing Tyne	/ Wt	/ Size	Dept	th				
Completion Perf casing Type / Wt / Size Depth From To Static Fluid Level Depth N/A Feet - Artesian Flow None GPM - Shut-In Pressure Notes Abandonment Details Reason for Abandonment No longer producing Bridge Plug type None TD of well or Bridge Plug Depth 1.069' Feet Total fluid volume of well from TD or Bridge Plug 743 Gallons Total volume of fluid used 848 Gallons Method of sealing material placement Through 2" Coil Tubing Casing cut to 3' Ft. below surface P&A Marker type 3/8" Steel flat plate Date of Abandonment Completion 9-9-08 Depth (Feet) Quantity Density From To Material Used Gal. / Sks Lbs./Gal. 1,069' Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 50 / 5 14.8 Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.		Completio	n Blank Casing	Type / Wt Steel T&C /	9.5# Size 4.5	" Denth From	+2' To 1.04				
Static Fluid Level Depth NA Feet - Artesian Flow None GPM - Shut-In Pressure Notes Abandonment Details Reason for Abandonment No longer producing Bridge Plug type None TD of Well or Bridge Plug Depth 1,069' Feet Total fluid volume of well from TD or Bridge Plug 743 Gallons Total volume of fluid used 848 Gallons Method of sealing material placement Through 2" Coil Tubing Casing cut to 3' Ft. below surface P&A Marker type 3/8" Steel flat plate Date of Abandonment Completion 9-9-08 Depth (Feet) Quantity Density From To Material Used Gal. / Sks Lbs./Gal. 1,069' Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 50 / 5 14.8 Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface.		Completio	n Perf casing Ty	ne/Wt /	Size	Denth From	To 1,5				
Abandonment Details Reason for Abandonment Bridge Plug type None TD of well or Bridge Plug Depth 1,069 Feet Total fluid volume of well from TD or Bridge Plug 743 Gallons Total volume of fluid used 848 Gallons Method of sealing material placement Casing cut to 3' Ft. below surface P&A Marker type 3/8" Steel flat plate Date of Abandonment Completion 9-9-08 Depth (Feet) Quantity Density From To Material Used Gal. / Sks Lbs./Gal. 1,069' Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 50 / 5 14.8 Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.		Static Flui	d Level Denth	N/A Feet - Artes	sian Flow None	Dopui I toin _ GPM Shut_Ir	Pressure F				
Abandonment Details Reason for Abandonment No longer producing Bridge Plug type None TD of well or Bridge Plug Depth 1,069 Feet Total fluid volume of well from TD or Bridge Plug 743 Gallons Total volume of fluid used 848 Gallons Method of sealing material placement Through 2" Coil Tubing Casing cut to 3' Ft. below surface P&A Marker type 3/8" Steel flat plate Date of Abandonment Completion 9-9-08 Depth (Feet) Quantity Density From To Material Used Gal. / Sks Lbs./Gal. 1,069' Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 50 / 5 14.8 Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.						GIWI - SHUL-II	r ressurer				
Reason for Abandonment Bridge Plug type None TD of well or Bridge Plug Depth 1,069'		110105			· · · · · · · · · · · · · · · · · · ·						
Reason for Abandonment No longer producing Bridge Plug type None TD of well or Bridge Plug Depth 1,069' Feet Total fluid volume of well from TD or Bridge Plug 743 Gallons Total volume of fluid used 848 Gallons Method of sealing material placement Through 2" Coil Tubing Casing cut to 3' Ft. below surface P&A Marker type 3/8" Steel flat plate Date of Abandonment Completion 9-9-08 Depth (Feet) Quantity Density From To Material Used Gal. / Sks Lbs./Gal. 1,069' Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 50 / 5 14.8 Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.		- ' \ '			on the second se						
From To Material Used Gal. / Sks Lbs./Gal. 1,069' Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 50 / 5 14.8 50' 45' Perforated 4.5" casing Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface. Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.		Total fluid Total volu Method of Casing cut	volume of well me of fluid used sealing materia to 3' Ft. belo	from TD or Bridge I 848 I placement Through 2 ow surface P&A	Plug 743 Gallons Coil Tubing		ons				
From To Material Used Gal. / Sks Lbs./Gal. 1,069' Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 50 / 5 14.8 50' 45' Perforated 4.5" casing Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface. Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.		Dept	ı (Feet)			Quantity	Density				
1,069' Surface Class G Cement w/2% gel 798 / 80 14.8 50' Surface Class G Cement w/2% gel 50 / 5 14.8 50' 45' Perforated 4.5" casing Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.				Material II	sed						
Surface Class G Cement w/2% gel 50 / 5 14.8 50' 45' Perforated 4.5" casing Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface. Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.			 								
Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface. Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.				·							
Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface, shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.			Garrace	Oldos O Cerricia	W/2 /0 gC/	307 3	14.0				
Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface, shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.											
Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface. Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.											
Notes MIRU on 9-5-08, run in well with slickline & tagged bottom at 1,069 feet. String up coil tubing & run in to 1,060 Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface. Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.			451	D 6 1 1 E							
Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface, should down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.		50'	45	Perforated 4.5"	casing						
Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface, Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.	-	<u></u>									
Begin mixing and pumping 85 sacks of cement to surface, cement circulated through perfs in 4.5" casing at 50' & back to surface, should down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.											
Shut down for the weekend. Cut casing(s) down 3' & welded on P&A marker on 9-9-08.		Notes MIR	U on 9-5-08, run in 1	vell with slickline & tagged	bottom at 1,069 feet.	String up coil tubing	& run in to 1,060 feet.				
		Begin mixing	and pumping 85 sac	ks of cement to surface, cer	ment circulated through	perfs in 4.5" casing at	50' & back to surface.				
Buried back well head & small sump. Move to next pad.		Shut down for	or the weekend. Cut	casing(s) down 3' & welde	ed on P&A marker on	9-9-08.					
		Buried back v	vell head & small sun	np. Move to next pad.							
	•				·····		· · · · · · · · · · · · · · · · · · ·				
				ativa and a second district and a second and a second and a second and a second and a second and a second and		enangan managan					

^{*} All depths are from top of surface casing